

Adaptive ventilation for climate control in a medieval church in cold climate

Napp, Margus; Wessberg, Magnus; **Kalamees, Targo;** Broström, Tor International journal of ventilation 2016 / p. 1-14 : ill
<https://doi.org/10.1080/14733315.2016.1173289> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Akadeemik Aleksander Poleštšuk : (1863-1944)

2022 https://www.ester.ee/record=b5564083*est

Alexander Nevsky Cathedral

2005 https://www.ester.ee/record=b2055623*est

Biodeterioration, salt distribution and damage to plaster and render/extent and reasons for salt, mould and rot damage

Kallavus, Urve The Final Research Report of the project "Sustainable Management of Historic Rural Churches in the Baltic Sea Region (SMC)" 2013 / p. 57-66 : ill

Chemical and physical-chemical investigations of the terracotta figures of St.John's Church in Tartu

Piiri, L.; Grassegger, G.; Helves, H.; Utsal, K.; Kõrge, K.; Ilomets, T. 23rd Estonian Chemistry Days : abstracts of scientific conference 1997 / p. 115

Diagnosis of moisture movements in massive dolostone walls of medieval churches

Kurik, Lembit; Kalamees, Targo; Kallavus, Urve Recent developments in building diagnosis techniques 2016 / p. 69-90 : ill
http://dx.doi.org/10.1007/978-981-10-0466-7_5

EELK tänab ja tunnustab

eestikirik.ee 2023 <http://www.eestikirik.ee/eelk-tanab-ja-tunnustab-3/>

Eesti pühakodade kivimüüride niiskuskahjustused ja sooldumine

Kurik, Lembit; Sinivee, Veljo Pühakodade säilitamine ja areng 2014–2018 2019 / lk. 35-41 : ill
https://www.ester.ee/record=b5195834*est

Eesti uuritud kirikute ehitustehniline seisund

Klõšeiko, Paul; Kalamees, Targo The Final Research Report of the project "Sustainable Management of Historic Rural Churches in the Baltic Sea Region (SMC)" 2013 / lk. 7-29 : ill

Energy and indoor climate performance of heat pumps and dehumidification

Napp, Margus; Kalamees, Targo The Final Research Report of the project "Sustainable Management of Historic Rural Churches in the Baltic Sea Region (SMC)" 2013 / p. 102-125

Energy use and indoor climate of conservation heating, dehumidification and adaptive ventilation for the climate control of a mediaeval church in a cold climate

Napp, Margus; Kalamees, Targo Energy and buildings 2015 / p. 61-71 : ill <https://doi.org/10.1016/j.enbuild.2015.08.013> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Extent and reasons for biodeterioration, salt distribution and damage of plaster in Estonian medieval churches

Kallavus, Urve; Kalamees, Targo; Kurik, Lembit; Traksmäa, Rainer ISBP 2015 : 1st International Symposium on Building Pathology : conference proceedings : March 24-27, 2015, Porto, Portugal 2015 / p. 709-716 : ill

The Final Research Report of the project "Sustainable Management of Historic Rural Churches in the Baltic Sea Region (SMC)"

2013 http://www.ester.ee/record=b3053416*est

Hageri kihelkond : aja lood

2018 https://www.ester.ee/record=b5141071*est

Indoor climate in a naturally ventilated unheated medieval church in Harju-Risti, Estonia

Arumägi, Endrik; Kalamees, Targo; Broström, Tor Proceedings of Clima2010 10th Rehva World Congress "Sustainable Energy Use in Buildings" : Antalya, 9-12.05.2010 2010 / [8] p

Indoor climate in a naturally ventilated unheated medieval churches

Kalamees, Targo; Väli, Alan; **Kurik, Lembit** The Final Research Report of the project "Sustainable Management of Historic Rural Churches in the Baltic Sea Region (SMC)" 2013 / p. 30-51 : ill

Indoor climate in Church of the Holy Spirit, Tallinn [Electronic resource]

Kalamees, Targo; Sasi, Lennart Indoor Air 2008 : The 11th International Conference on Indoor Air Quality and Climate : 17-22.08.2008, Copenhagen, Denmark 2008 / [8] p. [CD-ROM]

The influence of indoor climate control on risk for damages in naturally ventilated historic churches in cold climate
Kalamees, Targo; Väli, Alan; Kurik, Lembit; Napp, Margus; Arumägi, Endrik; Kallavus, Urve International journal of architectural heritage : conservation, analysis, and restoration 2016 / p. 486-498 : ill <https://doi.org/10.1080/15583058.2014.1003623> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Influencing factors of moisture measurement when using microwave reflection method
Kurik, Lembit; Kalamees, Targo; Kallavus, Urve; Sinivee, Veljo Energy procedia 2017 / p. 159-164 : ill <https://doi.org/10.1016/j.egypro.2017.09.675> [Conference proceedings at Scopus](#) [Article at Scopus](#) [Article at WOS](#)

Investigations on pointing mortars of glazed bricks from Jaani church (Tartu)
Helves, H.; Utsal, K.; Piiri, L.; Grassegger, G.; Kõrge, K.; Ilomets, T. 23rd Estonian Chemistry Days : abstracts of scientific conference 1997 / p. 35

Karja altariruum sai uue näo [Võrguväljaanne]
Liimets, Kätlin Eesti Kirik 2021 / Lk. 4 ["Karja altariruum sai uue näo"](#)

Kirikute sisekliima ja kütmine
Sasi, Lennart; Vikerpuur, A.; Parmakson, T.; Troelsgard, E.; Alton, J. 1994 <https://register.muinas.ee/public.php?menuID=archivalmaterial&action=view&id=5578>

Laboratory study of plaster, render and mortar samples
Raado, Lembi-Merike; Hain, Tiina The Final Research Report of the project "Sustainable Management of Historic Rural Churches in the Baltic Sea Region (SMC)" 2013 / p. 69-78 : ill

Lembit Kurik: paljud niiskusprobleemid on silmaga näha ja lahendused teada
Raudvassar, Liina Eesti Kirik 2024 / lk. 4-5 [Lembit Kurik: paljud niiskusprobleemid on silmaga näha ja lahendused teada](#)

Läbi aastatuhandete
Kink, Hella Lääne-Virumaa : Tapa ja Kadrina vald 2007 / lk. 7-8

Moodsad kirikud : Eesti 1920.-1930. aastate sakraalarhitektuur
Tamm, Egle 2001 https://www.ester.ee/record=b1568254*est

Overview of air infiltration in the studied church buildings
Väli, Alan; **Kalamees, Targo** The Final Research Report of the project "Sustainable Management of Historic Rural Churches in the Baltic Sea Region (SMC)" 2013 / p. 52-56 : ill

Overview of damage to facades and interior surfaces of medieval rural churches in Estonia
Klõšeiko, Paul; Kalamees, Targo ISBP 2015 : 1st International Symposium on Building Pathology : conference proceedings : March 24-27, 2015, Porto, Portugal 2015 / p. 579-586 : ill

Overview of damage to medieval rural churches in Estonia
Klõšeiko, Paul; Kalamees, Targo Case studies of building pathology in cultural heritage 2016 / p. 47-68 http://dx.doi.org/10.1007/978-981-10-0639-5_3

Peapiiskop tänas kirikute niiskusprobleemi lahendada aidanud teadlasi
Alvela, Ain Lääne Elu 2023 [Peapiiskop tänas kirikute niiskusprobleemi lahendada aidanud teadlasi](#)

Researching moisture content in the massive limestone walls of medieval churches with the use of microwave sensors
Kurik, Lembit The Final Research Report of the project "Sustainable Management of Historic Rural Churches in the Baltic Sea Region (SMC)" 2013 / p. 79-101 : ill

Riik ja kogudus käivad kujude pärast kohut
Gnadenteich, Uwe Postimees 2020 / lk. 7 : ill https://www.ester.ee/record=b1072778*est
<https://dea.digar.ee/article/postimees/2020/07/08/6.12>

A simple adaptive ventilation controller for mediaeval church
Sinivee, Veljo; Kurik, Lembit; Kalamees, Targo Energy procedia 2017 / p. 957-962 : ill <https://doi.org/10.1016/j.egypro.2017.09.674>
[Conference proceedings at Scopus](#) [Article at Scopus](#) [Article at WOS](#)

Sisekliima Tallinna Püha Vaimu kirikus
Kalamees, Targo; Sasi, Lennart Muinsuskaitse aastaraamat 2006 2007 / lk. 76-77 : ill

Tartu Jaani kiriku glasuurtelliste seosmörtide uurimine
Helves, H.; Utsal, K.; Piiri, L.; Grassegger, G.; Kõrge, K.; Ilomets, T. XXIII Eesti keemiapäevad : teaduskonverentsi ettekannete referaadid 1997 / lk. 30

Tartu Jaani kiriku terrakotafiguuride keemiline ja füüsiko-keemiline uurimine

Piiri, L.; Grassegger, G.; Helves, H.; Utsal, K.; Kõrge, K.; Ilomets, T. XXIII Eesti keemiapäevad : teaduskonverentsi ettekannete referaadid 1997 / lk. 105

Tehnikaülikooli Akadeemilise Meeskoori jõulukuu : [traditsioonilisest jõulukontserdist Kaarli kirikus 22. dets. : eelteade]

Ojala, Tõnu Mente et Manu 2001 / 18. dets., lk. 4 https://www.ester.ee/record=b1242496*est

The use of microwave method for diagnosis of moisture content of massive dolostone walls of medieval churches

Kurik, Lembit; Kalamees, Targo; Kallavus, Urve ISBP 2015 : 1st International Symposium on Building Pathology : conference proceedings : March 24-27, 2015, Porto, Portugal 2015 / p. 189-196 : ill

Vana Virumaa : ehitised ja inimesed

2007 https://www.ester.ee/record=b2248389*est

150 aastat arhitekt professor Aleksander Poleštšuki sünnist

Estonian World Review online 2016 / 1 lk. : ill., fot

История православия Эстонии в фотографиях = Photographic history of orthodoxy in Estonia

2013 https://www.ester.ee/record=b2988346*est