

Arabidopsis thaliana myosin XIX is involved in root hair as well as trichome morphogenesis on stems and leaves

Ojangu, Eve-Ly; Järve, Kristel; Paves, Heiti; Truve, Erkki Protoplasma 2007 / 3/4, p. 193-202

<https://link.springer.com/article/10.1007/s00709-006-0233-8>

GDNF promotes tubulogenesis of GFR α 1-expressing MDCK cells by Src-mediated phosphorylation of Met receptor tyrosine kinase

Popsujeva, A.; Saarma, Mart Journal of cell biology 2003 / 1, p. 119-129 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2172872/>

Hedgehog signalling : how to get from Smo to Ci or Gli

Osterlund, Torben; Kogerman, Priit Trends in cell biology 2006 / 4, p. 176-180 : ill

<https://www.sciencedirect.com/science/article/pii/S0962892406000535>

Jäätikön jäljillä Edelä-Suomessa ja Virossa

Karhima, Atte; Raukas, Anto; Linna, Ari 2007 https://www.ester.ee/record=b2314813*est

Liustike pärandus Lõuna-Soomes ja Põhja-Eestis

Raukas, Anto; Karhima, Atte 2007 https://www.ester.ee/record=b2314801*est

Structuring analyses of complex enterprise datasets with adaptive morphogenesis methods

Polis, Einar ECBS '17: Proceedings of the Fifth European Conference on the Engineering of Computer-Based Systems 2017 / art. a5, 10 p. : ill <https://doi.org/10.1145/3123779.3123808> [Conference proceedings at Scopus](#) [Article at Scopus](#) [Article at WOS](#)

Variability of shape of the Baltic sprat otoliths

Aps, Robert; Paat, Aadu; Uder, Ülo-Olimar; Ustinova, L. 1989 https://www.ester.ee/record=b1212993*est