

Analysis of EEG patterns during midazolam sedation in critically ill patients for brain monitoring purposes

Lipping, Tarmo; Jäntti, Ville; Rätsep, Indrek; Ferenets, Rain 2nd International Baltic Congress of Anaesthesiology and Intensive Care. 8th Congress of Estonian Anaesthesiologists : Tallinn, Estonia, 26-28 October 2006 : final programme. Proceedings of the congress 2006 / p. 89 [https://researchportal.tuni.fi/en/activities/analysis-of-eeq-patterns-during-midazolam-sedation-in-critically-](https://researchportal.tuni.fi/en/activities/analysis-of-eeq-patterns-during-midazolam-sedation-in-critically-ill-patients-for-brain-monitoring-purposes)

Bioimpedance based analysis of tissue oedema

Kink, Andres; Min, Mart; Parve, Toomas; Rätsep, Indrek Proceedings of the XII International Conference on Electrical Bioimpedance & the V Conference on Electrical Impedance Tomography : ICEB/EIT 2004 : June 20-24, 2004, Gdansk, Poland. Vol. 1 2004 / p. 29-32

Bioimpedance based control of rate limit in artificial cardiac pacing

Min, Mart; Kink, Andres; Parve, Toomas; Rätsep, Indrek Proceedings of the IASTED International Conference on Biomedical Engineering BioMED 2005 : February 16-18, 2005, Innsbruck, Austria 2005 / p. 679-703

Comparison of platelet aggregation in venous and arterial blood

Kobzar, Gennadi; Mardla, Vilja; Rätsep, Indrek; Samel, Nigulas Journal of thrombosis and haemostasis 2003 / Supplement 1, abstracts from XIX International ISTH Congress : July 12-18, 2003, p. CD077

Doktorant: Indrek Rätsep : [intervjuu Indrek Rätsepaga]

Rätsep, Indrek Avaja 2004 / lk. 7 : fot

Impedance controlled pacing rate limits in cardiac pacemakers

Kink, Andres; Parve, Toomas; Rätsep, Indrek International journal of bioelectromagnetism 2003 / 1, Advances in Electrocardiology : proceedings of the XXX International Congress of Electrocardiology : ICE2003 : June 11-14, 2003, Helsinki, Finland, p. 63-64

Intracardiac electrical bioimpedance as a basis for controlling of pacing rate limits

Kink, Andres; Salo, Rodney; Min, Mart; Parve, Toomas; Rätsep, Indrek Proceedings of the 28th Annual International Conference of the IEEE Engineering in Medicine and Biology Society : New York, 30.08-3.09.2006 2006 / p. 6308-6311

Modeling the dynamic heart for impedance based cardiac pathology detection

Gordon, Rauno; Maltshenko, S.; Rätsep, Indrek Proceedings of the 3rd European Medical & Biological Engineering Conference EMBEC'05 : November 20-25, 2005, Prague, Czech Republic 2005 / [4] p

Modification of pulse wave signals in electrical bioimpedance analyzer for implantable medical devices

Min, Mart; Kink, Andres; Land, Raul; Parve, Toomas; Rätsep, Indrek Proceedings of the 26. Annual International Conference of the IEEE EMBS : September 1-5, 2004, San Francisco, California, USA 2004 / p. 2263-2266
<https://pubmed.ncbi.nlm.nih.gov/17272178/>

Platelet activity before and after coronary artery bypass grafting

Kobzar, Gennadi; Mardla, Vilja; Rätsep, Indrek; Samel, Nigulas Platelets 2006 / 5, p. 289-291
<https://pubmed.ncbi.nlm.nih.gov/16928599/>

A set-up for investigation of post-ischaemic recovery of isolated animal heart based on dynamic measurement of pressure, flow, and electrical bioimpedance

Rätsep, Indrek; Kink, Andres; Taal, Günter; Parve, Toomas BEC 2002 : proceedings of the 8th Biennial Baltic Electronics Conference : October 6-9, 2002, Tallinn, Estonia 2002 / p. 367-370 : ill

Transplanted organ monitoring - is it worth?

Kink, A.; Rätsep, Indrek 2nd International Baltic Congress of Anaesthesiology and Intensive Care. 8th Congress of Estonian Anaesthesiologists : Tallinn, Estonia, 26-28 October 2006 : final programme. Proceedings of the congress 2006 / p. 95

Visualizing transplanted muscle flaps using minimally invasive multi-electrode bioimpedance spectroscopy

Gordon, Rauno; Zorkova, Valeria; Min, Mart; Rätsep, Indrek The XIVth International Conference on Electrical Bioimpedance and the 11th Conference on Biomedical Applications of EIT, Gainesville - Florida, Apr. 4-8, 2010 2010 / [4] p
<https://iopscience.iop.org/article/10.1088/1742-6596/224/1/012103>