

Aortic augmentation index is dependent on bodyside in healthy young subjects

Einstein, Sandra; Pilt, Kristjan; Palmar, Merlin; Meigas, Kalju; Viigimaa, Margus High Blood Pressure & Cardiovascular Prevention 2019 / p. 375–382 : ill <https://doi.org/10.1007/s40292-019-00335-3> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Association between optical signal derived aortic augmentation index and cardiovascular risk factors in healthy volunteers

Pikta, Marika; Viigimaa, Margus; Pilt, Kristjan; Kõõts, Kristina; Meigas, Kalju Reports on global health research 2020 / art. 119, 8 p. : ill <https://doi.org/10.29011/rghr-119.100019> <https://www.gavinpublishers.com/article/view/association-between-optical-signal-derived-aortic-augmentation-index-and-cardiovascular-risk-factors-in-healthy-volunteers>

Effect of transmural pressure on the estimation of arterial stiffness index from the photoplethysmographic waveform

Pilt, Kristjan; Reiu, Andy Medical and Biological Engineering and Computing 2024 / p. 1049-1059 <https://doi.org/10.1007/s11517-023-02992-y> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Electrical bio-impedance based non-invasive method for the central aortic blood pressure waveform estimation

Krivošei, Andrei; Min, Mart; Uuetoa, Hasso; Lamp, Jürgen; Annus, Paul BEC 2014 : 2014 14th Biennial Baltic Electronics Conference : proceedings of the 14th Biennial Baltic Electronics Conference : Tallinn University of Technology, October 6-8, 2014, Tallinn, Estonia 2014 / p. 181-184 : ill

Investigation of photoplethysmographic signal augmentation index estimation differences between fingers

Pilt, Kristjan; Silluta, Sandra; Kõõts, Kristina; Karai, Deniss; Meigas, Kalju; Viigimaa, Margus EMBEC & NBC 2017 : joint conference of the European Medical and Biological Engineering Conference (EMBEC) and the Nordic-Baltic Conference on Biomedical Engineering and Medical Physics (NBC), Tampere, Finland, June 2017 2018 / p. 819-822 : ill https://doi.org/10.1007/978-981-10-5122-7_205 [Conference proceedings at Scopus](#) [Article at Scopus](#) [Article at WOS](#)

Photoplethysmographic signal rising front analysis for the discrimination of subjects with increased arterial ageing

Pilt, Kristjan; Meigas, Kalju; Kõõts, Kristina; Viigimaa, Margus Proceedings of the Estonian Academy of Sciences 2014 / p. 221-226 : ill

Photoplethysmographic signal waveform index for detection of increased arterial stiffness

Pilt, Kristjan; Ferenets, Rain; Meigas, Kalju; Temitski, Kristina; Viigimaa, Margus Physiological measurement 2014 / p. 2027-2036 : ill <https://doi.org/10.1088/0967-3334/35/10/2027> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Robust algorithm for the augmentation index estimation of the CAP using low order derivatives [Electronic resource]

Krivošei, Andrei; Min, Mart; Lamp, Jürgen; Annus, Paul MeMeA 2014 : IEEE International Symposium on Medical Measurements and Applications : June 11-12, 2014, ISCTE, University of Lisbon, Lisbon, Portugal : proceedings 2014 / p. 279-282 : ill. [CD-ROM]

Wearable system for non-invasive and continuous monitoring central aortic pressure curve and augmentation index

Krivošei, Andrei; Lamp, Jürgen; Min, Mart; Uuetoa, Tiina; Uuetoa, Hasso; Annus, Paul pHealth 2013 : proceedings of the 10th International Conference on Wearable Micro and Nano Technologies for Personalized Health : June 26-28, 2013, Tallinn, Estonia 2013 / p. 101-106 : ill <https://doi.org/10.3233/978-1-61499-268-4-101> [Conference Proceedings at Scopus](#) [Article at Scopus](#)