

Diagnosis of moisture movements in massive dolostone walls of medieval churches

Kurik, Lembit; Kalamees, Targo; Kallavus, Urve Recent developments in building diagnosis techniques 2016 / p. 69-90 : ill
http://dx.doi.org/10.1007/978-981-10-0466-7_5

Influencing factors of moisture measurement when using microwave reflection method

Kurik, Lembit; Kalamees, Targo; Kallavus, Urve; Sinivee, Veljo Energy procedia 2017 / p. 159-164 : ill
<https://doi.org/10.1016/j.egypro.2017.09.675> [Conference proceedings at Scopus](#) [Article at Scopus](#) [Article at WOS](#)

Interdependence between point load index, compressive strength and crushing resistance of Jordan oil shale and relation to calorific value

Väizene, Vivika; Valgma, Ingo; Reinsalu, Enno; Pastarus, Jüri-Rivaldo; Kaisla, Erkki Oil shale 2015 / p. 252-268 : ill
https://artiklid.elnet.ee/record=b2740514*est <https://doi.org/10.3176/oil.2015.3.05> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

The use of microwave method for diagnosis of moisture content of massive dolostone walls of medieval churches

Kurik, Lembit; Kalamees, Targo; Kallavus, Urve ISBP 2015 : 1st International Symposium on Building Pathology : conference proceedings : March 24-27, 2015, Porto, Portugal 2015 / p. 189-196 : ill