

In situ fibrillizing amyloid-beta 1-42 induces neurite degeneration and apoptosis of differentiated SH-SY5Y cells

Krishtal, Jekaterina; Bragina, Olga; Metsla, Kristel; Palumaa, Peep; Tõugu, Vello PLoS ONE 2017 / art. e0186636, 16 p. : ill

<https://doi.org/10.1371/journal.pone.0186636> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Toxicity of amyloid beta 1-40 and 1-42 on SH-SY5Y cell line

Krištal, Jekaterina; Bragina, Olga; Metsla, Kristel; Palumaa, Peep; Tõugu, Vello SpringerPlus 2015 / p. 21-22, P19

<http://dx.doi.org/10.1186/2193-1801-4-S1-P19>

Toxicity of amyloid- β peptides varies depending on differentiation route of SH-SY5Y cells

Krištal, Jekaterina; Metsla, Kristel; Bragina, Olga; Tõugu, Vello; Palumaa, Peep Journal of Alzheimer's disease 2019 / p.

879–887 <https://doi.org/10.3233/JAD-190705> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

α -Lipoic acid has the potential to normalize copper metabolism, which is dysregulated in Alzheimer's disease

Metsla, Kristel; Kirss, Sigrid; Laks, Katrina; Sildnik, Gertrud; Palgi, Mari; Palumaa, Teele; Tõugu, Vello; Palumaa, Peep

Journal of Alzheimer's Disease 2022 / p. 715-728 <https://doi.org/10.3233/JAD-215026> [Journal metrics at Scopus](#) [Article at Scopus](#)

[Journal metrics at WOS](#) [Article at WOS](#)