

Cannulation technique and complications in arteriovenous fistulas : a Swedish Renal Registry-based cohort study
Staaf, Karin; Fernström, Anders; **Uhlen, Nils Fredrik Arne** BMC Nephrology 2021 / art. 256 <https://doi.org/10.1186/s12882-021-02458-z>
[Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Combined displacer-enhanced removal of protein-bound uremic toxins estimated in spent dialysate
Adoberg, Annika; Leis, Liisi; **Uhlen, Nils Fredrik Arne**; **Arund, Jürgen**; Segelmark, Marten; Fernström, Anders; Luman, Merike;
Fridolin, Ivo Kidney International Reports 2019 / art.: MON-105 ; p. S347 <https://doi.org/10.1016/j.ekir.2019.05.895>

Estimation of the influence of K/V on post dialysis urea rebound in HD and HDF with traditional and optical methods
Tomson, Ruth; **Fridolin, Ivo**; **Luman, Merike** XIII Baltic Nephrology Conference : October 13-15, 2016, Jurmala, Latvia : final programme 2016 / p. 2 <http://nefrologs.lv/wp-content/uploads/2016/10/XIII-BNC.pdf>

Free fraction of protein-bound uremic solutes in case of different dialysis modalities
Arund, Jürgen; **Tanner, Risto**; **Luman, Merike**; **Fridolin, Ivo** XIII Baltic Nephrology Conference : October 13-15, 2016, Jurmala, Latvia : final programme 2016 / p. 17 <http://nefrologs.lv/wp-content/uploads/2016/10/XIII-BNC.pdf>

Intradialytic on-line multicomponent total removed solute monitoring in spent dialysate by a novel miniaturized optical sensor
Adoberg, Annika; **Paats, Joosep**; **Arund, Jürgen**; Leis, Liisi; **Pilt, Kristjan**; **Fridolin, Ivo**; **Luman, Merike** Nephrology Dialysis Transplantation 2021 <https://doi.org/10.1093/ndt/gfaa141.T0015>

Intradialytic on-line multicomponent total removed solute monitoring in spent dialysate by a novel miniaturized optical sensor
Adoberg, Annika; **Paats, Joosep**; **Arund, Jürgen**; Leis, Liisi; **Pilt, Kristjan**; **Fridolin, Ivo**; **Luman, Merike** Nephrology Dialysis Transplantation 2020 / gfaa141.T0015 <https://doi.org/10.1093/ndt/gfaa141.T0015>

Intradialytic optical assessment of C-mannosyl tryptophan removal using spent dialysate
Paats, Joosep; **Adoberg, Annika**; Leis, Liisi; **Arund, Jürgen**; **Lauri, Kai**; **Luman, Merike**; **Tanner, Risto**; **Holmar, Jana**; **Pilt, Kristjan**; **Fridolin, Ivo** Scientific reports 2025 / art. 20052, 12 p. : ill <https://doi.org/10.1038/s41598-025-01844-z>

Life in standby : hemodialysis patients' experiences of waiting for kidney transplantation
Yngman-Uhlen, Pia; Fogelberg, Annika; **Uhlen, Fredrik** Journal of Clinical Nursing 2016 / p. 92 - 98 <https://doi.org/10.1111/jocn.12994>
[Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Non-invasive determination of uric acid in blood during hemodialysis with an optical spent dialysate sensor
Paats, Joosep; **Arund, Jürgen**; **Adoberg, Annika**; **Holmar, Jana**; Leis, Liisi; **Luman, Merike**; **Pilt, Kristjan**; **Tanner, Risto**;
Fridolin, Ivo 61st ERA Congress, 23-26 May 2024: Congress Abstracts 2024 / p. i1236 <https://doi.org/10.1093/ndt/gfae069.754>

Online urea concentration estimation from spent dialysate using optical sensor
Pilt, Kristjan; **Arund, Jürgen**; **Adoberg, Annika**; Leis, Liisi; **Luman, Merike**; **Fridolin, Ivo** XV Mediterranean Conference on Medical and Biological Engineering and Computing - MEDICON 2019 : proceedings of MEDICON 2019, September 26–28, 2019, Coimbra, Portugal 2020 / p. 1459-1464 https://doi.org/10.1007/978-3-030-31635-8_180 [Conference proceedings at Scopus](#) [Article at Scopus](#)
[Article at WOS](#)

Optical assessment of calcification markers phosphorus and calcium during hemodialysis
Holmar, Jana; **Uhlen, Nils Fredrik Arne**; Fernström, Anders; **Luman, Merike**; Jankowski, Joachim; **Fridolin, Ivo** Nephrology Dialysis Transplantation 2015 / iii556 <https://doi.org/10.1093/ndt/gfv197.03>

Optical method and biochemical source for the assessment of the middle-molecule uremic toxin β 2-microglobulin in spent dialysate
Paats, Joosep; **Adoberg, Annika**; **Arund, Jürgen**; **Fridolin, Ivo**; **Lauri, Kai**; Leis, Liisi; **Luman, Merike**; **Tanner, Risto** Toxins 2021 / art. 255, 15 p. : ill <https://doi.org/10.3390/toxins13040255> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#)
[Article at WOS](#)

Removal estimation of uremic CVD marker phosphate in dialysis using spectrophoto- and fluorimetric signals
Holmar, Jana; **Arund, Jürgen**; **Kalle, Sigrid**; **Lauri, Kai**; **Luman, Merike**; **Tanner, Risto**; **Tomson, Ruth**; **Fridolin, Ivo** EMBEC & NBC 2017 : joint conference of the European Medical and Biological Engineering Conference (EMBEC) and the Nordic-Baltic Conference on Biomedical Engineering and Medical Physics (NBC), Tampere, Finland, June 2017 2018 / p. 358-361 : ill https://doi.org/10.1007/978-981-10-5122-7_90 [Conference proceedings at Scopus](#) [Article at Scopus](#) [Article at WOS](#)

Removal of phosphate as the trigger of vascular calcification by different dialysis treatment modalities
Holmar, Jana; Jankowski, Joachim; **Fridolin, Ivo**; Alampour-Rajabi, Setareh; **Luman, Merike** Nephrology dialysis transplantation 2018 / p. i224 : ill <https://doi.org/10.1093/ndt/gfy104.FP548>

Total removed beta 2-microglobulin and urea during different dialysis treatment modalities

Holmar, Jana; Luman, Merike; Lauri, Kai; Fridolin, Ivo XIII Baltic Nephrology Conference : October 13-15, 2016, Jurmala, Latvia : final programme 2016 / p. 21-22 : ill <http://nefrologs.lv/wp-content/uploads/2016/10/XIII-BNC.pdf>