

Analysis of coagulation factors in fresh-frozen plasma

Pikta, Marika; Szanto, Timea; Reimal, Reelika; Muliin, P.; König, H.; Blinova, G.; Banys, Valdas Research and Practice in Thrombosis and Haemostasis 2021 <https://abstracts.isth.org/abstract/analysis-of-coagulation-factors-in-fresh-frozen-plasma/>

Comparison of chromogenic STA-R Evolution and CS-2500 assays for Apixaban, Rivaroxaban and Dabigatran

Pikta, Marika; Örd, Lenna; Lind, Ellind; Reitsnik, Tarmo; Banys, Valdas Eesti laborimeditsiini : Eesti Laborimeditsiini Ühingu ja Eesti Bioanalüütikute Ühingu ajakiri 2024 / lk. 70-71 : ill https://www.ester.ee/record=b4560018*est

Development of diagnostic algorithm for von Willebrand disease within WFH the Twinning Tallinn-Helsinki program

Pikta, Marika; Banys, Valdas; Vaide, Ines; Varik, Mirja 2018 https://www.postersessiononline.eu/173580348_eu/congresos/WFH2018/aula-M-P_139_WFH2018.pdf

Establishing reference intervals for von Willebrand factor multimers

Pikta, Marika; Vasse, Marc; Smock, Kristi J.; Moser, Karen A.; Dievoet, Marie-Astrid van; Lejnice, Sandra; Szanto, Timea; Bautista, Hector; Nouadje, Georges; Banys, Valdas Journal of medical biochemistry 2022 / p. 115-121 <https://doi.org/10.5937/jomb0-31941>
[Journal metrics at Scopus Article at Scopus](#) [Journal metrics at WOS Article at WOS](#)

Evaluation of a new semi-automated Hydragel 11 von Willebrand factor multimers assay kit for routine use

Pikta, Marika; Szanto, Timea; **Viigimaa, Margus;** Lejnice, Sandra; Balode, Darta; Saks, Kadri; Banys, Valdas Journal of medical biochemistry 2021 / p. 167–172 <https://doi.org/10.5937/jomb0-26008>
[Journal metrics at Scopus Article at Scopus](#) [Journal metrics at WOS Article at WOS](#)

Evaluation of DOAC dipstick test for detecting direct oral anticoagulants in urine compared with a clinically relevant plasma threshold concentration

Örd, Lenna; Marandi, Toomas; Märk, Marit; Raidjuk, Leonid; Kostjuk, Jelena; Banys, Valdas; Krause, Karit; **Pikta, Marika** Clinical and Applied Thrombosis/Hemostasis 2022 / 8 p. : ill <https://doi.org/10.1177/10760296221084307>
[Journal metrics at Scopus Article at Scopus](#) [Journal metrics at WOS Article at WOS](#)

Evaluation of within-subject variation of VWF multimers assay

Pikta, Marika; Szanto, Timea; Banys, Valdas ISTH 2022 : the 30th Congress of the International Society on Thrombosis and Haemostasis 2022 / art. PB0828 <https://www.eventsphere.net/2022/program/fsPopup.asp?efp=TUZOTFdCREsxNjMzMw&PresentationID=1079739&rnd=0.134093&node=presinfo>

Implementation and verification of new VWF:Ac assay system with components from different manufacturers

Pikta, Marika; Zolotareva, Valeria; Tönne, Jelena; **Viigimaa, Margus;** Banys, Valdas Laboratorine medicina 2016 / p. 185-188 : ill https://www.researchgate.net/publication/312072535_Implementation_and_Verification_of_New_VWFAc_Assay_System_with_Components_from_Different_Manufacturers

Implementation of alternative ristocetin reagent on impedance aggregometry analyzer

Pikta, Marika; Zolotarev, V.; Banys, Valdas Clinica chimica acta 2019 / p. S63-S64 <https://doi.org/10.1016/j.cca.2019.03.141>

In freezer storage of plasmas for delayed coagulation factors testing does not affect the results

Pikta, Marika; Laane, Edward; Zolotareva, Valeria; Titova, Tatjana; Banys, Valdas Laboratorine medicina 2018 / p. 35 https://www.balm2018.it/wp-content/uploads/2018/05/Lab_Med_2018_SPEC.pdf

Point-of-care DOAC dipstick test for screening of DOAC in urine

Pikta, Marika; Örd, Lenna; Märk, Marit; Raidjuk, Leonid; Kostjuk, Jelena; Krause, Karit; Banys, Valdas; Marandi, Toomas Clinical Chemistry and Laboratory Medicine (CCLM) 2021 / p. W036 <https://doi.org/10.1515/cclm-2021-5021>

Preclinical evaluation of a semiautomated and rapid commercial electrophoresis assay for von Willebrand factor multimers

Pikta, Marika; Zemtsovskaja, Galina; Bautista, Hector; Nouadje, Georges; Szanto, Timea; **Viigimaa, Margus;** Banys, Valdas Journal of clinical laboratory analysis 2018 / e22416 : ill <https://doi.org/10.1002/jla.22416>
[Journal metrics at Scopus Article at Scopus](#) [Journal metrics at WOS Article at WOS](#)

Qualitative screening of DOAC-induced anticoagulation in emergency clinical situations : abstract

Pikta, Marika; Kütt, Marge; Schneider, Siim; Zolotarjova, V.; **Viigimaa, Margus;** Marandi, Toomas; Arjakse, J.; Banys, Valdas Clinical chemistry and laboratory medicine (CCLM) 2018 / eA303 <https://doi.org/10.1515/cclm-2018-1038>

Testing strategy for laboratory monitoring of Hemophilia A patients treated with Emicizumab

Pikta, Marika; Saks, Kadri; Ross, Mariken; Banys, Valdas Clinica chimica acta 2022 / p. S186-S186 <https://doi.org/10.1016/j.cca.2022.04.750>

Von Willebrand factor multimeric assay in acquired von Willebrand disease diagnosis : a report of experience from North Estonia Medical Centre

Pikta, Marika; Banys, Valdas; Szanto, Timea; Joutsi-Korhonen, Lotta; Vaide, Ines; Varik, Mirja; Lehtinen, Anna-Elina; Giangrande,

