

Broadband discrete-level excitations for improved extraction of information in bioimpedance measurements

Min, Mart; Paavle, Toivo Physiological measurement 2014 / p. 997-1010 : ill <https://doi.org/10.1088/0967-3334/35/6/997> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Broadband excitation for short-time impedance spectroscopy

Min, Mart; Pliquet, Uwe; Nacke, T.; Barthel, A.; Annus, Paul; Land, Raul Physiological measurement 2008 / 6, p. S185-S192 : ill

Broadband spectroscopy of dynamic impedances with short chirp pulses

Min, Mart; Land, Raul; Paavle, Toivo; Parve, Toomas; Annus, Paul; Trebbels, Dennis Physiological measurement 2011 / p. 945-958 : ill

Crest factor optimization of the multisine waveform for bioimpedance spectroscopy

Ojarand, Jaan; Min, Mart; Annus, Paul Physiological measurement 2014 / p. 1019-1033 : ill <https://doi.org/10.1088/0967-3334/35/6/1019> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Decomposition method of an electrical bio-impedance signal into cardiac and respiratory components

Krivošei, Andrei; Kukk, Vello; Min, Mart Physiological measurement 2008 / 6, p. S15-S25 : ill
<https://pubmed.ncbi.nlm.nih.gov/18544800/>

Establishing best practices in photoplethysmography signal acquisition and processing

Charlton, Peter H.; Pilt, Kristjan; Kyriacou, Panayiotis A. Physiological measurement 2022 / art. 050301, 6 p
<https://doi.org/10.1088/1361-6579/ac6cc4> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Photoplethysmographic signal waveform index for detection of increased arterial stiffness

Pilt, Kristjan; Ferenets, Rain; Meigas, Kalju; Temitski, Kristina; Viigimaa, Margus Physiological measurement 2014 / p. 2027-2036 : ill <https://doi.org/10.1088/0967-3334/35/10/2027> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)