

**Composition and metabolism of fecal microbiota from normal and overweight children are differentially affected by melibiose, raffinose and raffinose-derived fructans**

**Adamberg, Kaarel; Adamberg, Signe**; Ernits, Karin *Anaerobe* 2018 / p. 100-110 : ill <https://doi.org/10.1016/j.anaerobe.2018.06.009>  
[Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

**Drastic effects on the microbiome of a young rower engaged in high-endurance exercise after a month usage of a dietary fiber supplement**

**Jaago, Mariliis**; Timmusk, Uku Siim; **Timmusk, Tõnis; Palm, Kaia** *Frontiers in Nutrition* 2021 / art. #654008, 11 p. : ill  
<https://doi.org/10.3389/fnut.2021.654008> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

**Selection of fast and slow growing bacteria from fecal microbiota using continuous culture with changing dilution rate**

**Adamberg, Kaarel; Adamberg, Signe** *Microbial ecology in health and disease* 2018 / art. 1549922, [12] p. : ill  
<https://doi.org/10.1080/16512235.2018.1549922> [Eesti teadlased: inimene saab oma soolebaktereid otseselt mõjutada](#) [Mida kauem on toit soolestikus, seda rohkem tekib seal "aeglasi" baktereid](#)

**Stability of B-complex vitamins and dietary fibre during rye sourdough bread production**

**Mihhalevski, Anna; Nisamedtinov, Ildar; Hälvin, Kristel; Ošeka, Aleksandra; Paalme, Toomas** *Journal of cereal science* 2013 / p. 30-38 : ill