Assessment of moisture and mould of hempcrete and straw panels
Raamets, Jane; **Lokko, Laura**; **Ruus, Aime**; **Kalamees, Targo**; **Muoni, Karin** Journal of physics : conference series 2021 / art. 012194, p. 1-3 https://doi.org/10.1088/1742-6596/2069/1/012194 Conference Proceedings at Scopus Article at Scopus

Biodeterioration, salt distribution and damage to plaster and render/extent and reasons for salt, mould and rot damage
Kallavus, Urve The Final Research Report of the project "Sustainable Management of Historic Rural Churches in the Baltic Sea Region (SMC)" 2013 / p. 57-66 : ill

CaF2 solid‐state electrolytes prepared by vapor pressure exposure and solid synthesis for defect and ionic conductivity tuning
Molaiyan, Palanivel; **Witter, Raiker** Material design & processing communications 2020 / art. e76, 6 p. : ill https://onlinelibrary.wiley.com/doi/epdf/10.1002/mdp2.76 https://doi.org/10.1002/mdp2.76 Journal metrics at Scopus Article at Scopus

Construction process and measuring initial dryout of PCM mortar in energy activated ETICS façade
Talvik, Martin; **Ilomets, Simo**; **Klõšeiko, Paul**; **Kalamees, Targo**; Heim, Dariusz Thermal performance of the exterior envelopes of whole buildings 2022 / p. 757-764 https://www.scopus.com/record/display.uri?eid=2-s2.0-85163701291&origin=inward&txGid=c83aa5cf70cab7322515343c3d634b25

Determination of clay-sand plaster hygrothermal performance : influence of different types of clays on sorption and water vapour permeability
Altmäe, Erik; **Ruus, Aime**; **Raamets, Jane**; **Tungel, Ernst** Cold Climate HVAC 2018 : Sustainable buildings in cold climates : proceedings of the 9th Cold Climate HVAC conference, Kiruna, Sweden, 2018, 12-15 March 2019 / p. 945-955 https://doi.org/10.1007/978-3-030-00662-4_80

Determination of paper plaster hygrothermal performance: influence of different types of paper on sorption and moisture buffering
Vares, Maia-Liisa; **Ruus, Aime**; **Nutt, Nele**; **Kubjas, Ardo**; **Raamets, Jane** Journal of building engineering 2021 / art. 101830, 8 p. : ill https://doi.org/10.1016/j.jobe.2020.101830 Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Determination of the calorific value and moisture content of crushed oil shale by LIBS
Aints, Märt; Paris, Peeter; **Tufail, Iram**; Jõgi, Indrek; Aosaar, Hardi; **Riisalu, Hella**; **Laan, Matti** Oil shale 2018 / p. 339-355 : ill https://doi.org/10.3176/oil.2018.4.04 http://www.kirj.ee/public/oilshale_pdf/2018/issue_4/OS-2018-4-339-355.pdf Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Doktoritöö: Kesk-Euroopa levinud soojustust tasub Eestis üheksa korda mõõta [Võrguväljaanne]
Harrik, Airika novaator.err.ee 2022 Doktoritöö: Kesk-Euroopa levinud soojustust tasub Eestis üheksa korda mõõta Hygrothermal Performance of Masonry Walls Retrofitted with Interior Insulation in Cold Climate = Kiviseinte seespoolse lisasoojustuse soojus- ja niiskustehniline toimivus külmas kliimas

Ebatervislik remont teeb haigeks : [niiskuskahjustustest räägivad Agnes Jürgens, Urve Kallavus jt.]
Jürgens, Agnes; **Kallavus, Urve** Eesti Naine 2005 / 4, lk. 85-86

Eesti pühakodade kivimüüride niiskuskahjustused ja sooldumine
Kurik, Lembit; **Sinivee, Veljo** Pühakodade säilitamine ja areng 2014–2018 2019 / lk. 35-41 : ill https://www.ester.ee/record=b5195834*est

Effect of accelerated weathering on the mechanical properties of wood-plastic composites
Kallakas, Heikko; **Poltimäe, Triinu**; **Süld, Tiia-Maaja**; **Kers, Jaan** Baltic Polymer Symposium 2014 : programme and abstracts : Laulasmaa, Estonia, September 24-26, 2014 2014 / p. 75

Effect of freezing and thawing on the performance of “capillary active” insulation systems: a comparison of results from climate chamber study to HAM modelling
Klõšeiko, Paul; **Varda, Kadi**; **Kalamees, Targo** Energy procedia 2017 / P. 525-530 : ill https://doi.org/10.1016/j.egypro.2017.09.714

Effect of soaking/oven-drying on mechanical and physical properties of birch (Betula spp.) plywood
Kask, Regino; Lille, Harri; **Kiviste, Mihkel**; Kruus, Silver; Lääne, Johann Olaf Drvna industrija 2021 / p. 121-129 https://doi.org/10.5552/drvind.2021.1946

The effect of temperature, humidity and mechanical properties on crack formation on external thin plasters of ETICS
Volkova, K.; **Põldaru, Mattias**; **Ilomets, Simo**; **Kalamees, Targo**; **Talvik, Martin**; Heim, Dariusz Journal of physics : conference series 2021 / art. 012025, 8 p. : ill https://doi.org/10.1088/1742-6596/2069/1/012025 Conference Proceedings at Scopus Article at Scopus

The effects of ventilation systems and building fabric on the stability of indoor temperature and humidity in Finnish detached houses
Kalamees, Targo; Korpi, Minna; Vinha, Juha; **Kurnitski, Jarek** Building and environment 2009 / 8, p. 1643-1650 : ill

Energiakultuuride sobivusest energeetiliste katelde kütuseks
Kask, Livia; **Kask, Ülo**; **Paist, Aadu** Taastuvate energiaallikate uurimine ja kasutamine : kuuenda konverentsi kogumik : [11. nov. 2004, Tartu] 2005 / lk. 65-76 : ill

Energy and indoor climate performance of heat pumps and dehumidification
Napp, Margus; **Kalamees, Targo** The Final Research Report of the project "Sustainable Management of Historic Rural Churches in the Baltic Sea Region (SMC)" 2013 / p. 102-125

Estonian climate analysis for selecting moisture reference years for hygrothermal calculations
Kalamees, Targo Journal for Thermal Envelope & Building Science 2004 / 3, [3] p

Freesturba niiskuse määramine elektrilisel teel
Plakk, Paul 1952 http://www.ester.ee/record=b2133989*est

Heat, air and moisture transfer terminology : parameters and concepts
Radu, A.; Barreira, E.; **Kalamees, Targo** 2012
https://www.researchgate.net/publication/257183156_Heat_air_and_moisture_transfer_terminology_-_parameters_and_concepts

Highly insulated crawl spaces with controlled minimal ventilation – proof of concept by field measurements
Airaksinen, Miimu; Olsson, Lars; **Kurnitski, Jarek**; Hvidberg, Staffan E3S Web of Conferences : 12th Nordic Symposium on Building Physics (NSB 2020) : Tallinn, Estonia, September 6-9, 2020 2020 / art. 07004, 5 p. : ill https://doi.org/10.1051/e3sconf/202017207004 Conference proceedings at Scopus Article at Scopus Article at WOS

Hoone niiskuskoormust aitab arvutada niiskuslisa väärtus
Kalamees, Targo Ehitaja 2007 / 11, lk. 62-65 : ill

Humidity and SO2 gas sensor based on QCM coated with polypyrrole films
Sõritski, Vitali; **Öpik, Andres** Finnish Chemical Congress and Exhibition, Helsinki, November 3-5, 1998 : abstracts 1998 / p. 10

Hygrothermal criteria for design and simulation of buildings
Kalamees, Targo 2006 https://www.ester.ee/record=b2226959*est

Незваный гость: плесень в многоквартирном доме - чья проблема?
Stolitsa 2023 / c. 4-5

Identification and improvement of critical joints in CLT construction without weather protection
Kalbe, Kristo; **Kukk, Villu**; **Kalamees, Targo** E3S Web of Conferences : 12th Nordic Symposium on Building Physics (NSB 2020) : Tallinn, Estonia, September 6-9, 2020 2020 / art. 10002, 8 p. : ill https://doi.org/10.1051/e3sconf/202017210002 Conference proceedings at Scopus Article at Scopus Article at WOS

Ilmavuotojen merkitys seinä- ja kattorakenteiden kostetusteknisessä toiminnassa
Kalamees, Targo; **Kurnitski, Jarek** Rakennusfysiikka 2009 2009 / p. 11

Indoor air temperature and relative humidity measurements in Finnish schools and day-care centres
Kiviste, Mihkel; Laukkarinen, Anssi; Kauppinen, Antti; Tuominen, Eero; Ketko, Joonas; Vinha, Juha; Raunima, Tuomas Building and environment 2023

Indoor climate and humidity loads in old rural houses with different usage profiles
Alev, Üllar; **Kalamees, Targo**; **Arumägi, Endrik** Proceedings of the 9th Nordic Symposium on Building Physics (NSB 2011), 29 May- 2 June 2011, Tampere, Finland. Vol. 3 2011 / p. 1103-1110 : ill

Indoor climate and hygrothermal loads in Estonian dwellings
Kalamees, Targo; **Sasi, Lennart**; **Õiger, Karl** Final report of the IEA Annex 41 Whole Building Heat Air and Moisture Response - Subtask 3 : Boundary Conditions and Whole Building HAM Analysis 2008 / p. 157-174[??]

Indoor climate conditions and hygrothermal loads in Finnish and Estonian dwellings
Kalamees, Targo; Vinha, Juha; Korpi, Minna; **Kurnitski, Jarek** Proceedings of the IEA ECBCS Annex 41 Closing Seminar : Copenhagen, Denmark, June 19, 2008 2008 / p. 81-92

Indoor humidity load in dwellings with high occupancy
Kalamees, Targo IEA Annex 41 MOIST-ENG Working meeting : Lyon France, 25-27 October 2006 2006 / [4] p

Indoor humidity load in Estonian detached houses
Kalamees, Targo; **Sasi, Lennart**; **Õiger, Karl** IEA-Annex 41 MOIST-ENG working meeting : Trondheim, Norway, 26-28 October 2005 2005 / [9] p

Indoor humidity loads and moisture production in lightweight timber-frame detached houses
Kalamees, Targo; Vinha, Juha; **Kurnitski, Jarek** Journal of building physics 2006 / 3, p. 219-246

Indoor hygrothermal condition and user satisfaction in naturally ventilated historic houses in temperate humid continental climate around the Baltic Sea
Alev, Üllar; **Kalamees, Targo**; Eskola, Lari; **Arumägi, Endrik** Architectural science review 2016 / p. 53-67 : ill
http://dx.doi.org/10.1080/00038628.2015.1038980

Indoor hygrothermal conditions in Estonian old multi-storey brick apartment buildings
Kalamees, Targo; **Ilomets, Simo**; **Arumägi, Endrik**; **Alev, Üllar**; **Kõiv, Teet-Andrus**; **Mikola, Alo**; **Kuusk, Kalle**; **Maivel, Mikk** The 12th International Conference on Indoor Air Quality and Climate, June 5-10, 2011, Austin, Texas, USA 2011 / [6] p

Indoor temperature and humidity conditions and the performance of ventilation in 27 detached houses
Kalamees, Targo; **Sasi, Lennart**; **Õiger, Karl** IEA-Annex 41 MOIST-ENG working meeting : Trondheim, Norway, 26-28 October 2005 2005 / [10] p

Indoor temperature and humidity conditions in Estonian old multi-storey apartment buildings composed of prefabricated concrete elements
Kalamees, Targo; **Kõiv, Teet-Andrus**; **Arumägi, Endrik**; **Ilomets, Simo** Proceedings of Clima2010 10th Rehva World Congress "Sustainable Energy Use in Buildings" : Antalya, 9-12.05.2010 2010 / [8] p

Indoor temperature and humidity conditions in Finnish dwellings [Electronic resource]
Kalamees, Targo; **Kurnitski, Jarek**; Keto, M.; Eskola, E.; Jokisalo, Juha; Korpi, Minna; Vinha, Juha Indoor Air 2008 : The 11th International Conference on Indoor Air Quality and Climate : 17-22.08.2008, Copenhagen, Denmark 2008 / [8] p. [CD-ROM]

Indoor temperature and humidity conditions in modern Estonian apartment buildings
Kalamees, Targo; **Ilomets, Simo**; **Kuusk, Kalle**; **Paap, Leena** Proceedings of CLIMA 2013 : 11th REHVA World Congress and the 8th International Conference on Indoor Air Quality, Ventilation and Energy Conservation in Buildings, Prague 16th-19th June, 2013 2013 / [10] p. : ill

Indoor temperature and humidity load in Finnish detached houses
Kalamees, Targo; Vinha, Juha; **Kurnitski, Jarek** IEA-Annex 41 MOIST-ENG working meeting : Montreal, Canada, 16-18 May 2005 2005 / [10] p

The influence of accelerated weathering on the mechanical and physical properties of wood-plastic composites
Kallakas, Heikko; **Poltimäe, Triinu**; **Süld, Tiia-Maaja**; **Kers, Jaan**; **Krumme, Andres** Proceedings of the Estonian Academy of Sciences 2015 / p. 94-104 : ill https://doi.org/10.3176/proc.2015.1S.05

Influence of CLT wetting during the construction phase on the crack formation and air leakages in the CLT
Kalbe, Kristo; **Kukk, Villu**; **Kalamees, Targo** AIP conference proceedings 2023 / p. 020028-1-020028-8
https://doi.org/10.1063/5.0171342

Internal moisture excess of residential buildings in Finland
Vinha, Juha; Salminen, Mikko; Salminen, Kati; **Kalamees, Targo**; **Kurnitski, Jarek**; Kiviste, Mihkel Journal of building physics 2018 / p. 239–258 : ill http://dx.doi.org/10.1177/1744259117750369

Karja altariruum sai uue näo [Võrguväljaanne]
Liimets, Kätlin Eesti Kirik 2021 / Lk. 4 "Karja altariruum sai uue näo"

Kas õppida vigadest või eeskujust?
Kalamees, Targo Ehitaja 2014 / lk. 44 : fot

Keldriruumides kummitab niiskus : [ka Teet-Andrus Kõivu kommentaaridega]
Kõiv, Teet-Andrus; Blumberg, Kärt Postimees : Remont, Kodu ja Aed 2006 / lk. 27-28 : ill

Kosteuskuormien vaikutus lämpötilaindeksin raja-arvoon
Kalamees, Targo Rakennusfysiikka 2007 : Tampere (Finland), 18-19.10.2007 2007 / s. 287-294

Kuidas vältida õhulekkeid tehasemajades?
Kalbe, Kristo Oma Maja : Äripäeva Kuukiri 2021 / Lk. 40, 42 : ill https://dea.digar.ee/article/apomamaja/2021/04/29/24.3

Kuiv ja soe karjalaut
Jürgenson, Leo 1951 https://www.ester.ee/record=b1271081*est

Kütmata suvemaja ohustab niiskus : [nõuandeid annab TTÜ professor Jarek Kurnitski]
Viiron, Kristiina; **Kurnitski, Jarek** Eesti Päevaleht 2012 / lk. 12-13 https://epl.delfi.ee/artikkel/65360106/kutmata-suvemaja-ohustab-niiskus

Laske kohe teha ehitusekspertiis : [Urve Kallavuse kommentaar S.Kalbergi artiklile Kärgpapist katusekate lekkis ja niiskus mädandas sarikad viie aastaga, EPL, 6. nov. 2008, lk. 16-17]
Kallavus, Urve Eesti Päevaleht 2008 / lk. 17 : fot https://arileht.delfi.ee/artikkel/51147840/kargpapist-katusekate-lekkis-ja-niiskus-madandas-sarikad-viie-aastaga

Lauda niiskuse, soojuse ja CO2-sisalduse olenevus piirdetarinditest ja õhustusseadmeist = Зависимость режима влажности, теплоты и содержания CO2 в помещениях для сельскохозяйственных животных от ограждающих конструкций и установок аэраций
Jürgenson, Leo 1951 https://www.ester.ee/record=b1144387*est https://digikogu.taltech.ee/et/Item/e4b09a2d-b6d6-45b6-a8e7-7bf8a0b58f97

Maaelamute sisekliima, ehitusfüüsika ja energiasääst I : uuringu I etapi lõpparuanne
Kalamees, Targo; **Alev, Üllar**; **Arumägi, Endrik**; **Ilomets, Simo**; **Just, Alar**; **Kallavus, Urve** 2011
http://www.ester.ee/record=b2665966*est

Measurement of thermal conductivity of moist porous building materials
Saare, Erik; Jansson, Ingvar Byggforskningen 1962 / p. 1-17 : ill https://www.ester.ee/record=b2082921*est

Modeling the impact of indoor relative humidity on the infection risk of five respiratory airborne viruses
Aganovic, Amar; Bi, Yang; Cao, Guangyu; **Kurnitski, Jarek**; Wargocki, Pawel Scientific reports 2022 / art. 11481, 10 p. : ill https://doi.org/10.1038/s41598-022-15703-8 Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Moisture buffer value of composite material made of clay-sand plaster and wastepaper
Nutt, Nele; **Kubjas, Ardo** Journal of sustainable architecture and civil engineering 2020 / p. 108−115
https://doi.org/10.5755/j01.sace.27.2.25391 Journal metrics at Scopus Article at Scopus

Moisture convection performance of external walls and roofs
Kalamees, Targo; **Kurnitski, Jarek** Journal of building physics 2010 / 3, p. 225-247
https://journals.sagepub.com/doi/10.1177/1744259109343502

Moisture dry-out from steel faced insulated sandwich panels
Kalbe, Kristo; Piikov, Hubert; **Kurnitski, Jarek**; **Kalamees, Targo** E3S Web of Conferences : 12th Nordic Symposium on Building Physics (NSB 2020) : Tallinn, Estonia, September 6-9, 2020 2020 / art. 17007, 8 p. : ill https://doi.org/10.1051/e3sconf/202017217007 Conference proceedings at Scopus Article at Scopus Article at WOS

Moisture supply in heavyweight detached houses
Salminen, Kati; Korpi, Minna; Salminen, Mikko; Vinha, Juha; **Kurnitski, Jarek**; **Kalamees, Targo** IEA Annex 41 MOIST-ENG Working meeting : Lyon France, 25-27 October 2006 2006 / [10] p

Märgunud puitplaadid - kiirelt tekkiv hallitus
Järv, Hele; **Kallavus, Urve** Ehitaja 2013 / lk. 48-50 : ill

Märjad ja niisked ruumid puitelamus
Kalamees, Targo Puuinfo 2008 / 2, lk. 39-42 : ill

Niiskus laastab hooneid : [selgitab Urve Kallavus]
Kallavus, Urve; Rand, Jana Maaleht 2005 / 21. juuli, Ehitusleht, lk. 3

Niiskus puitkarkasspiiretes
Kalamees, Targo Puuinfo 2005 / 1, lk. 28-30 : ill

On site measurement and hygrothermal modelling of degraded ETICS facade with EPS and mineral wool fire breaks
Talvik, Martin; **Klõšeiko, Paul**; **Kalamees, Targo**; **Liisma, Eneli**; **Ilomets, Simo** Journal of Physics: Conference Series 2023 / 8 p
https://doi.org/10.1088/1742-6596/2654/1/012124

Peapiiskop tänas kirikute niiskusprobleemi lahendada aidanud teadlasi
Alvela, Ain Lääne Elu 2023 Peapiiskop tänas kirikute niiskusprobleemi lahendada aidanud teadlasi

Physicochemical, textural, and sensorial properties of fibrous meat analogs from oat-pea protein blends extruded at different moistures, temperatures, and screw speeds
Kaleda, Aleksei; Talvistu, Karel; **Vaikma, Helen**; **Tammik, Mari-Liis**; Rosenvald, Sirli; **Vilu, Raivo** Future foods 2021 / art. 100092, 8 p. : ill https://doi.org/10.1016/j.fufo.2021.100092

Piirde optimaalne soojustamine ja selle niiskusrežiim

Sasi, Lennart Ehituskaar 2000 / 3, lk. 22-24 : ill

Positive pressure effect on moisture performance in a school building
Ferrantelli, Andrea; Vornanen-Winqvist, Camilla; Mattila, Milla; Salonen, Heidi; **Kurnitski, Jarek** Journal of building physics 2019 / p. 121-142 : ill https://doi.org/10.1177/1744259119837144 Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Practical application of polyaniline as active material of humidity sensors
Bereznev, Sergei; **Öpik, Andres** Tallinna Tehnikaülikooli Toimetised 1994 / lk. 28-34: ill

Probleemiks niiskuskahjustused
Sasi, Lennart Ehitame 1996 / nr. 8, märts, lk. 2

Puidu visuaalse tugevussortimise reeglid
Reiska, Rein; **Just, Elmar-Jaan**; **Meier, Pille** 2002 https://www.ester.ee/record=b1620147*est

Puitlaastplaadid. Niiskuskindluse määramine
Reiska, Rein 2001 https://www.ester.ee/record=b1579397*est

Puitlaastplaadid. Tehnonõuded
Reiska, Rein 2001 https://www.ester.ee/record=b1579399*est

Puitlaastplaadid. Tehnonõuded
Reiska, Rein 2001 https://www.ester.ee/record=b1579405*est

Puitplaadid. Niiskussisalduse määramine
Reiska, Rein 2002 https://www.ester.ee/record=b1629810*est

Puit(põhiste)kütuste omadused ja kvaliteet
Paist, Aadu; **Nuutre, Maaris**; **Aluvee, Raaja** Taastuvate energiaallikate uurimine ja kasutamine : kolmanda konverentsi kogumik : [1. november 2001, Tartu] 2002 / lk. 109-117 : ill

Puurunkoisten seinärakenteiden kosteusteknisen toiminnan vertailu omakotitalossa
Vinha, Juha; Käkelä, Pasi; **Kalamees, Targo** 2003

Põlevkivi [Võrguteavik] : niiskuse määramine = Oil shale : determination of moisture
2018 https://www.ester.ee/record=b4816504*est

A research project on the temperature and humidity conditions, ventilation and airtightness of Finnish detached houses
Vinha, Juha; Korpi, Minna; **Kalamees, Targo**; Eskola, Lari; Palonen, J.; **Kurnitski, Jarek**; Valovirta, I.; Mikkilä, A.; Jokisalo, Juha Final report of the IEA Annex 41 Whole Building Heat Air and Moisture Response - Subtask 3 : Boundary Conditions and Whole Building HAM Analysis 2008 / p. 157-174

Researching moisture content in the massive limestone walls of medieval churches with the use of microwave sensors
Kurik, Lembit The Final Research Report of the project "Sustainable Management of Historic Rural Churches in the Baltic Sea Region (SMC)" 2013 / p. 79-101 : ill

Sein. Kapillaarniiskus
Uustalu, Enn 1001 tööd 1995 / lk. 33-35

Simulations of graphene nanoribbon field effect transistor for the detection of propane and butane gases : a first principles study
Rashid, Muhammad Haroon; **Koel, Ants**; **Rang, Toomas** Nanomaterials 2020 / art. 98 https://doi.org/10.3390/nano10010098 Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Sinavusega puit nõuab tuulutust
Kallavus, Urve Äripäev 2006 / 23. aug., lk. 20 https://www.aripaev.ee/uudised/2006/08/22/sinavusega-puit-nouab-tuulutust

Sisekliima ja niiskuskoormused puitkarkasseramutes
Kalamees, Targo Puuinfo 2007 / 2, lk. 34-36 : ill

Sisäilmaongelmaisten koulurakennusten korjaaminen
Aalto, Minna; Asikainen, Vesa; **Kalamees, Targo**; **Kurnitski, Jarek** 2008
https://research.aalto.fi/en/publications/sis%C3%A4ilmaongelmaisten-koulurakennusten-korjaaminen

System-level condition monitoring approach for fault detection in photovoltaic systems
Zahraoui, Younes; **Alhamrouni, Ibrahim**; Hayes, Barry P.; Mekhilef, Saad; Korõtko, Tarmo Fault analysis and its impact on grid-connected photovoltaic systems performance 2022 https://doi.org/10.1002/9781119873785.ch7

Tekstiil ja niiskus : laboratoorsete tööde juhend tekstiilmaterjaliõpetuses
1999 https://www.ester.ee/record=b1229202*est

The Effects of Natural Paints on the Moisture Buffering Ability of Paper Plaster
Nutt, Nele; **Kubjas, Ardo**; **Nei, Lembit**; **Ruus, Aime** Latvian journal of physics and technical sciences 2020 / p. 51-60 : ill https://doi.org/10.2478/lpts-2020-0027 Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

The indoor climate and ventilation of elderly homes
Kõiv, Teet-Andrus; **Voll, Hendrik**; **Mikola, Alo**; **Lukjanov, Dmitri** Recent Researches in Environment, Energy Planning and Pollution : Proceedings of the 5th WSEAS International Conference on Renewable Energy Sources (RES'11). [...(EPESE'11), ... (WWAI'11)] : Iasi, Romania, July 1-3, 2011 2011 / p. 229-232 : ill

The influence of indoor climate control on risk for damages in naturally ventilated historic churches in cold climate
Kalamees, Targo; **Väli, Alan**; **Kurik, Lembit**; **Napp, Margus**; **Arumägi, Endrik**; **Kallavus, Urve** International journal of architectural heritage : conservation, analysis, and restoration 2016 / p. 486-498 : ill http://dx.doi.org/10.1080/15583058.2014.1003623

The use of microwave method for diagnosis of moisture content of massive dolostone walls of medieval churches
Kurik, Lembit; **Kalamees, Targo**; **Kallavus, Urve** ISBP 2015 : 1st International Symposium on Building Pathology : conference proceedings : March 24-27, 2015, Porto, Portugal 2015 / p. 189-196 : ill

Анализ влажностного режима ограждающих конструкций с учетом зависимости удельной паропроницаемости от степени увлажнения материала и влияния инфильтрации воздуха
Krutob, Herbert 1957 https://www.ester.ee/record=b1383655*est https://digikogu.taltech.ee/et/Item/08e37a00-dc98-4269-bd63-20e118b641f5

Water vapour mobilises building related non-volatile chemicals and mycotoxins and may be used to remove substances of potential health hazard from indoor surfaces
Selkäinaho, Jorma; Harmo, Panu; **Kurnitski, Jarek** Roomvent&Ventilation 2018 : Excellent Indoor Climate and High Performing Ventilation : proceedings 2018 / p. 91-96 : ill https://www.lyyti.fi/e/?p=s&k=76eA857eee2A33adcE00b0E https://www.lyyti.fi/e/?p=s&k=a0E0486b2BC6d8D0F880e96C https://www.lyyti.fi/reg_att/efA658E7F74904eE7C/0346A5827dBb77E92710.pdf

Weather exposed CLT construction – observations and improvement concept
Kalbe, Kristo; **Kukk, Villu**; **Kalamees, Targo** Forum Wood Building Baltic : proceedings of the II Forum Wood Building Baltic, Riga Technical University Digital Conference, 14-16 April 2021 2021 / p. 84-85 : ill https://issuu.com/matijsbabris/docs/fwbb2021

Ventilation positive pressure intervention effect on indoor air quality in a school building with moisture problems
Vornanen-Winqvist, Camilla; Järvi, Kati; Toomla, Sander; Ahmed, Kaiser; **Kurnitski, Jarek** International journal of environmental research and public health 2018 / 23 p. : ill https://doi.org/10.3390/ijerph15020230 Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Õhusamba niiskussisalduse erinevate määramisviiside võrdlus
Keernik, Hannes; Ohvril, Hanno; Jakobson, Erko; **Rannat, Kalev**; Luhamaa, Andres Uurimusi Eesti kliimast = Studies on climate of Estonia 2011 / lk. 179-194 : ill

Ülerõhk siseruumides võib tekitada niiskusprobleeme
Kalamees, Targo Ehitaja 2001 / 1/2, lk. 33-35 : ill

Влагомер для непрерывного измерения в регистрации влажности бумажного полотна
Plakk, Paul Труды по электротехнике и автоматике : сборник статей. [1] 1963 / с. 53-61 : илл https://www.ester.ee/record=b2181953*est https://digikogu.taltech.ee/et/Item/c0cba674-7147-4659-abad-39f8419dd45e

Влажностный режим органического утеплителя в стене хивотноводческого помещения
Kikas, Verner Проблемы строительной теплофизики : труды межвузовской научной конференции совместно с работниками промышленности, научно-исследовательских и проектных институтов и Белорусского правления НТО стройиндустрии : 1-4 февраля 1964 г., Минск 1964 / с. 353-365 : илл https://www.ester.ee/record=b3004675*est

Влияние влажности воздуха на основные показатели дизеля 2Ч8,5/II
Murel, Peeter; **Soskind, Gennadi**; **Mäeküla, Oskar** Судовые силовые установки : сборник статей. 6 1972 / с. 41-53 : илл https://www.ester.ee/record=b2190510*est https://digikogu.taltech.ee/et/Item/00460d71-822a-438e-9725-4c06a174af3c

Влияние влажности на изоляционные свойства некоторых диэлектриков
Bender, Villem; **Gutmann, Enn** XXV студенческая научно-техническая конференция вузов Прибалтийских республик,

Белорусской ССР и Молдавской ССР, 21-23 апреля 1981 года : тезисы докладов 1981 / с. 71
https://www.ester.ee/record=b1322624*est

Влияние дисперсности компонентов сланцезольного портландцемента на влажностные деформации растворов
Kikas, Verner; **Uustalu, Enn**; **Laul, Ilmar** Сборник трудов по изучению золы сланца-кукерсита. 6 1972 / с. 115-121
https://www.ester.ee/record=b2190533*est https://digikogu.taltech.ee/et/Item/29889133-4a49-423b-82d3-22a748732c52

Вопросы автоматического измерения влажности в керамических массах
Revjakova, N.; Rimm, V.; **Suurväli, Aime** Тезисы докладов IX конференции молодых ученых и специалистов Прибалтики и Белоруссии по проблемам строительных материалов и конструкций (г. Брест, 21-25 ноября 1977 г.) 1977 / с. 109-110

Высокочастотная диэлкометрическая влагометрия горючих сланцев и известняков
Neufeld, Heinrich; Arš, E.; **Schults, Kaljo** Труды по горному делу : сборник статей. 7 1974 / с. 73-82
https://www.ester.ee/record=b2190673*est https://digikogu.taltech.ee/et/Item/cbbce0a0-5e9d-4c4b-87f4-66f66c7a88a2

Избыточное давление во внутренних помещениях может создать проблему с влажностью
Kalamees, Targo Строитель 2001 / 3, с. 23-25 : ил

Измерение влажности фрезерного торфа электрическим путем
Plakk, Paul Труды по электротехнике : сборник статей. [1] 1962 / с. 25-37 : илл https://www.ester.ee/record=b2181576*est
https://digikogu.taltech.ee/et/Item/1d6e67d3-64f2-4cf1-8525-84f7658a6c4f

Измерение влажности фрезерного торфа электрическим путем : автореферат ... кандидата технических наук
Plakk, Paul 1952 http://www.ester.ee/record=b1524862*est

Изучение факторов, влияющих на величину влажностной усадки известково-песчаного материала автоклавного твердения
Juurvee, Uno; **Reiman, Värdi** Строительные материалы: материалы докладов конференции по внедрению результатов научных исследований, проводимых в вузах Литовской ССР (12—17 февраля 1973 г.) 1973 / с. 67-68

Интенсивность выделения водяного пара в животноводческих помещениях
Kikas, Valve Строительные конструкции и строительная физика : сборник статей. 15 1975 / с. 3-10 : илл
https://www.ester.ee/record=b2190707*est https://digikogu.taltech.ee/et/Item/9a87b9f4-5ae4-47c8-a764-e1355783d1a5

Исследование влияния количества и качества новообразований на влажностную усадку известково-песчаного материала автоклавного твердения
Juurvee, Uno; **Reiman, Värdi** Сборник трудов (НИПИсиликатобетон) 1973 / с. 27-32 : илл https://www.ester.ee/record=b1764431*est

Исследование возможности расчетного определения величины влажности усадки известково-песчаного материала автоклавного твердения : автореферат ... кандидата технических наук (05.23.05)
Juurvee, Uno 1991 http://www.ester.ee/record=b1258560*est

Исследование возможности расчетного определения величины влажностной усадки известково-песчаного материала автоклавного твердения : диссертация ... кандидата технических наук
Juurvee, Uno 1991 http://www.ester.ee/record=b2488605*est

К вопросу влияния объемной массы газосиликата на величину его влажностной усадки
Juurvee, Uno; **Reiman, Värdi** Сборник трудов (НИПИсиликатобетон) 1974 / с. 56-58 https://www.ester.ee/record=b1764431*est

К изменению деформаций влагонасыщенных образцов горных пород и строительных материалов
Kripsaar, Ervin Труды по горному делу. 8 1976 / с. 15-17 : илл https://www.ester.ee/record=b2190762*est
https://digikogu.taltech.ee/et/Item/88239daf-2999-4a7a-a5ba-95677c4f6b51

Некоторые результаты исследования ударного износа с влажным песком
Siimpoeg, Rein; **Kleis, Ilmar** Сборник научных трудов студентов. 4 1965 / с. 89-95 : илл https://www.ester.ee/record=b2181987*est
https://digikogu.taltech.ee/et/Item/15040af2-b264-4339-b7b1-c0140de7d1c1

О влиянии влажности сланца на эффективность размола
Rajur, Kaido; **Õispuu, Leo** Исследования проблем работы парогенераторов электростанций 1978 / с. 29-35

Строительная теплотехника ограждающих частей зданий : учебное пособие для инженерно-строительных и архитектурных втузов
Fokin, Konstantin 1937 https://www.ester.ee/record=b5647469*est

Строительно-физические факторы тепло-влажностного режима и тепловой экономики свинарника-

откормочника
Jaanivald, Ahti 1969 http://www.ester.ee/record=b2237675*est

Строительно-физические факторы тепло-влажностного режима и тепловой экономики свинарника-откормочника : автореферат ... кандидата технических наук (488)
Jaanivald, Ahti 1969 http://www.ester.ee/record=b1398069*est

Структурообразование гипсовых материалов с контактным физико-химическим стоком влаги : автореферат ... кандидата технических наук (05.23.05)
Nikitin, Vladimir 1991 http://www.ester.ee/record=b1258554*est

Структурообразование гипсовых материалов с контактным физико-химическим стоком влаги : (на примере самонивелирующихся стяжек полов) : дис. на соиск. учен. степ. канд. техн. наук : 05.23.05 - строительные материалы и изделия
Nikitin, Vladimir 1990 http://www.ester.ee/record=b2488742*est

Суммарный приток водяного пара в коровниках и свинарниках : автореферат ... кандидата технических наук : специальность 05.23.10 - гражданские, промышленные и сельскохозяйственные здания и сооружения
Kikas, Valve 1975 http://www.ester.ee/record=b1338828*est

Теоретическое и экспериментальное исследование режима и вентиляции животноводческих помещений (коровников)
Jõgioja, Endel 1962 http://www.ester.ee/record=b2166723*est

Теоретическое и экспериментальное исследование режима и вентиляции животноводческих помещений (коровников) : автореферат ... кандидата технических наук
Jõgioja, Endel 1963 http://www.ester.ee/record=b1410492*est

Экспериментальное исследование ЦПВ с пластинчатым влагоотделителем
Murel, Peeter; **Soskind, Gennadi** Энергомашиностроение : ежемесячный научно-технический и производственный журнал 1978 / с. 19-21 : ил https://www.ester.ee/record=b2253960*est