

Affinity of zinc and copper ions for insulin monomers

Gavrilova, Julia; Tõugu, Vello; Palumaa, Peep *Metallomics* 2014 / p. 1296-1300 : ill

Amyloid beta 1-42 oligomerization in vitro and characterization with SDS-PAGE, MALDI and ESI MS

Friedemann, Merlin; Tõugu, Vello; Kirsipuu, Tiina; Palumaa, Peep *FEBS journal* 2013 / p. 140-141

Binding of zinc(II) and copper(II) to the full-length Alzheimer's amyloid-[beta] peptide

Tõugu, Vello; Karafin, Ann; Palumaa, Peep *Journal of neurochemistry* 2008 / p. 1249-1259 : ill

<https://pubmed.ncbi.nlm.nih.gov/18289347/>

1,1'-bis(anilino)-4,4'-bis(naphtalene)-8,8'-disulfonate acts as an inhibitor of lipoprotein lipase and competes for binding with apolipoprotein CII

Lõokene, Aivar; Zhang, L.; Tõugu, Vello; Olivecrona, G. *Journal of biological chemistry* 2003 / p. 37183-37194

<https://doi.org/10.1074/jbc.m303894200>

Coordination of zinc ions to the key proteins of neurodegenerative diseases: A[beta], APP, [alpha]-synuclein and PrP

Tõugu, Vello; Palumaa, Peep *Coordination chemistry reviews* 2012 / p. 2219-2224 : ill

https://www.researchgate.net/publication/236131300_Coordination_of_zinc_ions_to_the_key_proteins_of_neurodegenerative_diseases_Ab_APP_a-synuclein_and_PrP

Copper(I)-binding properties of de-coppering drugs for the treatment of Wilson disease. α -Lipoic acid as a potential anti-copper agent

Smirnova, Julia; Kabin, Ekaterina; Järving, Ivar; Bragina, Olga; Tõugu, Vello; Plitz, Thomas; Palumaa, Peep *Scientific reports*

2018 / art. 1463, 9 p. : ill <https://doi.org/10.1038/s41598-018-19873-2> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Copper(I)-binding properties of de-coppering drugs for treatment of Wilson disease

Smirnova, Julia; Kabin, Ekaterina; Järving, Ivar; Tõugu, Vello; Plitz, T.; Palumaa, Peep *The FEBS journal* 2017 / p. 337

<https://doi.org/10.1111/febs.14174>

Copper(II) ions and the Alzheimer's amyloid- β peptide : affinity and stoichiometry of binding

Tõugu, Vello; Friedemann, Merlin; Tiiman, Ann; Palumaa, Peep *AIP conference proceedings* 2014 / p. 109-111

Copper(II)-binding equilibria in human blood

Kirsipuu, Tiina; Zadorožnaja, Anna; Smirnova, Julia; Friedemann, Merlin; Plitz, Thomas; Tõugu, Vello; Palumaa, Peep *Scientific reports* 2020 / art. 5686, 10 p. : ill <https://doi.org/10.1038/s41598-020-62560-4> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Cu(II) partially protects three histidine residues and the N-terminus of amyloid- β peptide from diethyl pyrocarbonate (DEPC) modification

Friedemann, Merlin; Tõugu, Vello; Palumaa, Peep *FEBS Open Bio* 2020 / p. 1072-1081 <https://doi.org/10.1002/2211-5463.12857>

[Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Direct competition of ATCUN peptides with human serum albumin for copper(II) ions determined by LC-ICP MS

Noormägi, Andra; Golubeva, Tatjana; Berntsson, Elina; Warmländer, Sebastian K.T.S.; Tõugu, Vello; Palumaa, Peep *ACS omega* 2023 / p. 33912-33919 <https://doi.org/10.1021/acsomega.3c04649>

Effect of agitation on the peptide fibrillization: Alzheimer's amyloid- β peptide 1-42 but not amylin and insulin fibrils can grow under quiescent conditions

Tiiman, Ann; Noormägi, Andra; Friedemann, Merlin; Krištal, Jekaterina; Palumaa, Peep; Tõugu, Vello *Journal of peptide science* 2013 / p. 386-391 : ill

Effect of methionine-35 oxidation on the aggregation of amyloid- β peptide

Friedemann, Merlin; Helk, Eneken; Tiiman, Ann; Zovo, Kairit; Palumaa, Peep; Tõugu, Vello *Biochemistry and biophysics reports* 2015 / p. 94-99 : ill <http://dx.doi.org/10.1016/j.bbrep.2015.07.017>

Effect of Zn(II) and Cu(II) ions on aggregation and fibrillation of amyloid-beta(1-42) peptide

Palumaa, Peep; Karafin, Ann; Zovo, Kairit; Chung, Roger S.; Howells, Claire; West, Adrian K.; Tõugu, Vello *Sinapsa Neuroscience Conference '09* : Ljubljana, 26-29 September 2009 : abstract book 2009 / p. 34

Ensümaatilise atsüüülekande reaktsiooni kasutamine orgaaniliste ühendite sünteesil

Tõugu, Vello XVI Eesti keemiapäevad : teaduskonverentsi ettekannete referaadid = 16th Estonian chemistry days : abstracts of scientific conference 1995 / lk. 145-146

Evaluation of Zn²⁺- and Cu²⁺-binding affinities of native Cu,Zn-SOD1 and its G93A mutant by LC-ICP MS

Smirnova, Julia; Gavrilova, Julia; Noormägi, Andra; Valmsen, Karin; Pupart, Hegne; Luo, Jinghui; Tõugu, Vello; Palumaa,

Fibrillization of the mixtures of amyloid beta 1-40 and 1-42

Krištal, Jekaterina; Friedemann, Merlin; Tõugu, Vello; Palumaa, Peep *Neurodegenerative diseases* 2015 / p. 364
<http://dx.doi.org/10.1159/000381736>

In vitro fibrillization of Alzheimer's amyloid- β peptide (1-42)

Tiiman, Ann; Krištal, Jekaterina; Palumaa, Peep; Tõugu, Vello *AIP advances* 2015 / p. 092401-1 - 092401-12 : ill
<http://dx.doi.org/10.1063/1.4921071>

Insulin fibrillization at acidic and physiological pH values is controlled by different molecular mechanisms

Noormägi, Andra; Valmsen, Karin; Tõugu, Vello; Palumaa, Peep *The protein journal* 2015 / p. 398-403 : ill
<http://dx.doi.org/10.1007/s10930-015-9634-x>

Interactions of zinc(II) and copper(II) to the full-length Alzheimer's amyloid-B peptide in vitro

Karafin, Ann; Palumaa, Peep; Tõugu, Vello *FEBS journal* 2008 / Suppl. 1, p. 222

Interactions of Zn(II) and Cu(II) ions with Alzheimer's amyloid-beta peptide. Metal ion binding, contribution to fibrillization and toxicity

Tõugu, Vello; Tiiman, Ann; Palumaa, Peep *Metallomics* 2011 / p. 250-261 : ill

Interference of low-molecular substances with the thioflavin-T fluorescence assay of amyloid fibrils

Noormägi, Andra; Primar, Kateryna; Tõugu, Vello; Palumaa, Peep *Journal of peptide science* 2012 / p. 59-64 : ill

Label-free high-throughput screening assay for inhibitors of Alzheimer's amyloid-[beta] peptide aggregation based on MALDI MS

Zovo, Kairit; Helk, Eneken; Karafin, Ann; Tõugu, Vello; Palumaa, Peep *Analytical chemistry* 2010 / p. 8558-8565

Lipase action on some non-triglyceride substrates

Vallikivi, Imre; Lille, Ülo; Lõokene, Aivar; Metsala, Andrus; Sikk, Peeter; Tõugu, Vello; Vija, Heiki; Villo, Ly; Parve, Omar *Journal of molecular catalysis B : enzymatic* 2003 / 5/6, p. 279-298 : ill

Lipase-catalysed enantioselective hydrolysis : interpretation of the kinetic results in terms of frontier orbital localisation

Parve, Omar; Vallikivi, Imre; Metsala, Andrus; Lille, Ülo; Tõugu, Vello; Sikk, Peeter; Käämbre, Tuuli; Vija, Heiki; Pehk, Tõnis *Tetrahedron* 1997 / 13, p. 4889-4900

Lipase-catalysed enantioselective hydrolysis of bicyclo[3.2.0]heptanol esters in supercritical carbon dioxide

Parve, Omar; Vallikivi, Imre; Lahe, Liija; Metsala, Andrus; Lille, Ülo; Tõugu, Vello; Vija, Heiki; Pehk, Tõnis *Bioorganic & medicinal chemistry letters* 1997 / 7, p. 811-816

"Lipolase" allub sekundaarsete alkoholide enantioeelistuse üldisele reeglile nii vesi kui ka superkriitilise SKCO₂ keskkonnas = "Lipolase" obeys the general enantiopreference rule of secondary alcohols in water and supercritical (SC)CO₂ media as well

Lille, Ülo; Metsala, Andrus; Parve, Omar; Tõugu, Vello; Vija, Heiki XVII Eesti keemiapäevad : teaduskonverentsi ettekannete referaadid = 17th Estonian Chemistry Days : abstracts of scientific conference 1996 / lk. 101-102

Mercury ion binding to apolipoprotein E variants ApoE2, ApoE3, and ApoE4 : similar binding affinities but different structure induction effects

Berntsson, Elina; Sardis, Merlin; Noormägi, Andra; Jarvet, Jüri; Roos, Per M.; Tõugu, Vello; Gräslund, Astrid; Wärmländer, Sebastian K.T.S. *ACS omega* 2022 / p. 28924-28931 <https://doi.org/10.1021/acsomega.2c02254> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Metallothionein 2A affects the cell respiration by suppressing the expression of mitochondrial protein cytochrome c oxidase subunit II

Bragina, Olga; Gurjanova, Karina; Krištal, Jekaterina; Kulp, Maria; Karro, Niina; Tõugu, Vello; Palumaa, Peep *Journal of bioenergetics and biomembranes* 2015 / p. 209-216 : ill <http://dx.doi.org/10.1007/s10863-015-9609-9>

Monitoring of A-beta fibrillization using an improved fluorimetric method

Karafin, Ann; Palumaa, Peep; Tõugu, Vello *New Trends in Alzheimer and Parkinson Disorders : ADPD 2009* 2009 / p. 255-259
<https://www.etis.ee/Portal/Publications/Display/979eb21d-601b-4aa1-b941-121eff184407>

Monitoring of amyloid-beta fibrillization using an improved fluorimetric method [Electronic resource]

Karafin, Ann; Palumaa, Peep; Tõugu, Vello *Neurodegenerative diseases* 2009 / S1, Alzheimer's and Parkinson's Diseases : Advances, Concepts and New Challenges, p. 799 [CD-ROM] <https://www.etis.ee/Portal/Publications/Display/979eb21d-601b-4aa1-b941-121eff184407>

NMR monitoring of lipase-catalyzed reactions of prostaglandins : preliminary estimation of reaction velocities

Vallikivi, Imre; Järving, Ivar; Pehk, Tõnis; Samel, Nigulas; Tõugu, Vello; Parve, Omar Journal of molecular catalysis B : enzymatic 2004 / p. 15-19 : ill

Oxidation of Methionine-35 in Alzheimer's amyloid-beta peptide and the aggregation of the oxidized peptide

Friedemann, Merlin; Helk, Eneken; Tiiman, Ann; Zovo, Kairit; Palumaa, Peep; Tõugu, Vello SpringerPlus 2015 / p. 20, P13
<http://dx.doi.org/10.1186/2193-1801-4-S1-P13>

Redox and metal ion binding properties of human insulin-like growth factor 1 determined by electrospray ionization mass spectrometry

Smirnova, Julia; Muhhina, Jekaterina; Tõugu, Vello; Palumaa, Peep Biochemistry 2012 / p. 5851-5859 : ill
<https://pubs.acs.org/doi/10.1021/bi300494s>

Redox properties of Cys2His2 and Cys4 zinc fingers determined by electrospray ionization mass spectrometry

Smirnova, Julia; Kabin, Ekaterina; Tõugu, Vello; Palumaa, Peep FEBS Open Bio 2018 / p. 923 - 931 <https://doi.org/10.1002/2211-5463.12422> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Surface carboxylation or PEGylation decreases CuO nanoparticles' cytotoxicity to human cells in vitro without compromising their antibacterial properties

Kubo, Anna-Liisa; Vasiliev, Grigory; Vija, Heiki; Krištál, Jekaterina; Tõugu, Vello; Visnapuu, Meeri; Kisand, Vambola; Kahru, Anne; Bondarenko, Olesja Archives of toxicology 2020 / p. 1561-1573 : ill <https://doi.org/10.1007/s00204-020-02720-7>

Zn(II) and Cu(II)-induced non-fibrillar aggregates of amyloid-[beta](1-42) peptide are transformed to amyloid fibrils both spontaneously and under the influence of metal chelators

Tõugu, Vello; Karafin, Ann; Zovo, Kairit; Chung, Roger S.; Howells, Claire; West, Adrian; Palumaa, Peep Journal of neurochemistry 2009 / 6, p. 1784-1795 : ill

Zn(II) ions co-secreted with insulin suppress inherent amyloidogenic properties of monomeric insulin

Noormägi, Andra; Gavrilova, Julia; Smirnova, Julia; Tõugu, Vello; Palumaa, Peep Biochemical journal 2010 / p. 511-518
<https://pubmed.ncbi.nlm.nih.gov/20632994/>

Zn(II) ions inhibit fibrillization of monomeric insulin

Noormägi, Andra; Gavrilova, Julia; Smirnova, Julia; Tõugu, Vello; Palumaa, Peep FEBS journal 2010 / Suppl. 1, p. 256

The missing link in the amyloid cascade of Alzheimer's disease - metal ions

Tiiman, Ann; Palumaa, Peep; Tõugu, Vello Neurochemistry international 2013 / p. 367-378 : ill

The modelling and kinetic investigation of the lipase-catalysed acetylation of stereoisomeric prostaglandins

Vallikivi, Imre; Fransson, Linda; Hult, Karl; Järving, Ivar; Pehk, Tõnis; Samel, Nigulas; Tõugu, Vello; Villo, Ly; Parve, Omar Journal of molecular catalysis B : enzymatic 2005 / p. 62-69 : ill

Toxicity of amyloid beta 1-40 and 1-42 on SH-SY5Y cell line

Krištál, Jekaterina; Bragina, Olga; Metsla, Kristel; Palumaa, Peep; Tõugu, Vello SpringerPlus 2015 / p. 21-22, P19
<http://dx.doi.org/10.1186/2193-1801-4-S1-P19>

Toxicity of amyloid-β peptides varies depending on differentiation route of SH-SY5Y cells

Krištál, Jekaterina; Metsla, Kristel; Bragina, Olga; Tõugu, Vello; Palumaa, Peep Journal of Alzheimer's disease 2019 / p. 879-887 <https://doi.org/10.3233/JAD-190705> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Vaskioonide roll Alzheimeri amüloidse beeta peptiidi agregatsioonil ja toksilisusel

Tõugu, Vello; Tiiman, Ann; Palumaa, Peep XXXII Eesti Keemiapäevad : teaduskonverentsi teesid 2011 / lk. 102

α-Lipoic acid has the potential to normalize copper metabolism, which is dysregulated in Alzheimer's disease

Metsla, Kristel; Kirss, Sigrid; Laks, Katrina; Sildnik, Gertrud; Palgi, Mari; Palumaa, Teele; Tõugu, Vello; Palumaa, Peep Journal of Alzheimer's Disease 2022 / p. 715-728 <https://doi.org/10.3233/JAD-215026> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Электростатический солевой эффект во взаимодействиях ацетилхолинэстеразы и трипсина с катионными лигандами : автореферат диссертации ... кандидата химических наук (02.00.03)

Tõugu, Vello 1991 https://www.ester.ee/record=b1190402*est