

(Eco)toxicological information on REACH-relevant chemicals : contribution of alternative methods to in vivo approaches
Sihmää, Mariliis 2011 http://www.ester.ee/record=b2733161*est

Efedrooni (metkatinoon) ja mangaani toime hiirtel kroonilises katses : [TÜ arstiteaduskonna päeva 2009 stendiettekande teesid]

Asser, Andres; Kõks, Sulev; **Nairismägi, Jaak** Eesti Arst 2009 / 9, lk. 612-613 https://artiklid.elnet.ee/record=b1496051*est

Expression analysis of the CLCA gene family in mouse and human with emphasis on the nervous system

Piirsoo, Marko; Meijer, Dies; **Timmusk, Tõnis** BMC developmental biology 2009 / p. 10 : ill
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2653474/>

GDNF family ligands and receptors are differentially regulated after brain insults in the rat

Kokaia, Zaal; Airaksinen, Matti S.; Nanobashvili, A.; Larsson, E.; Kujamäki, E.; Lindvall, O.; **Saarma, Mart** European journal of neuroscience 1999 / p. 1202-1216

GDNF family receptors in the embryonic and postnatal rat heart and reduced cholinergic innervation in mice hearts lacking Ret or GFRa2

Hiltunen, J.O.; Laurikainen, A.; Airaksinen, Matti S.; **Saarma, Mart** Developmental dynamics 2000 / p. 28-39
<https://pubmed.ncbi.nlm.nih.gov/10974669/>

Glial cell line-derived neurotrophic factor is expressed in penis of adult rat and retrogradely transported in penile parasympathetic and sensory nerves

Laurikainen, A.; Hiltunen, J.O.; Vanhatalo, S.; Klinge, E.; **Saarma, Mart** Cell and tissue research 2000 / p. 321-329
<https://pubmed.ncbi.nlm.nih.gov/11151444/>

Long-lasting behavioural and molecular alterations induced by early postnatal fluxetine exposure are restored by chronic fluxetine treatment in adult mice

Karpova, Nina N.; Lindholm, Jesse; **Pruunsild, Priit**; **Timmusk, Tõnis**; Castren, Eero European neuropsychopharmacology 2009 / p. 97-108 : ill <https://pubmed.ncbi.nlm.nih.gov/18973993/>

Magnetic resonance imaging study of induced epileptogenesis in animal models of epilepsy

Nairismägi, Jaak 2006 https://www.ester.ee/record=b4369104*est

P2X4 and P2X7 receptors in evolution, physiology, inflammation, and autoimmunity = P2X4 ja P2X7 retseptorid evolutsiooni, füsioloogia, põletiku ja autoimmuunsuse kontekstis

Rump, Airi 2023 <https://doi.org/10.23658/taltech.53/2023> <https://digikogu.taltech.ee/et/Item/d5c7f19b-53ae-4010-9249-2aa0b04b898e>
https://www.ester.ee/record=b5645330*est

Seizures induce widespread upregulation of cystatin B, the gene mutated in progressive myoclonus epilepsy, in rat forebrain neurons

D'Amato, E.; Kokaia, Zaal; Nanobashvili, A.; Reeben, M.; Lehesjoki, A.-E.; **Saarma, Mart**; Lindvall, O. European journal of neuroscience 2000 / p. 1687-1695 <https://pubmed.ncbi.nlm.nih.gov/10792446/>

Structure, alternative splicing, and expression of the human and mouse KCNIP gene family

Pruunsild, Priit; **Timmusk, Tõnis** Genomics 2005 / 5, p. 581-593 <https://pubmed.ncbi.nlm.nih.gov/16112838/>

The messenger RNAs for both glial cell line-derived neurotrophic factor receptors, C-ret and GDNFR, are induced in the rat brain in response to Kainate-induced excitation

Reeben, M.; Laurikainen, A.; Hiltunen, J.O.; Castren, Eero; **Saarma, Mart** Neuroscience 1998 / p. 151-159

Transcriptional repression of neurotrophin receptor trkB by thyroid hormone in the developing rat brain

Pombo, P.M.; Baretino, D.; Espliguero, G.; **Metsis, Madis**; Iglesias, T.; Rodriguez-Pena, A. Journal of biological chemistry 2000 / p. 37510-37517 <https://pubmed.ncbi.nlm.nih.gov/10978336/>