

Evolution of the 2'-5'-oligoadenylate synthetase family in Eukaryotes and Bacteria

Kjaer, Karina Hansen; Poulsen, Jesper Buchhave; **Reintamm, Tõnu**; Saby, Emilie; Martesen, Pia Moeller; **Kelve, Merike**; Justesen, Just Journal of molecular evolution 2009 / 6, p. 612-624 <https://www.proquest.com/openview/0fe0284ce650961a365d42300b2e597f/1?cbl=54027&pq-origsite=gscholar&parentSessionId=dz9k38w4a1zaAkRvUbi61rwVTwqEtV4qKOMQV6XmYsw%3D>

Interferon-induced 2',5'-oligoadenylate synthetases versus those from sponges, evolutionarily lowest multicellular animals

Kuusksalu, Anne; Lopp, Annika; **Päri, Mailis**; **Reintamm, Tõnu**; **Kelve, Merike** Cytokine 2009 / 1/2, p. 85-86
https://www.researchgate.net/publication/247349787_Interferon-induced_2'5'-oligoadenylate_synthetases_versus_those_from_sponges_evolutionarily_lowest_multicellular_animals

Modulation of (2'-5')oligoadenylate synthetase by environmental stress in the marine sponge Geodia cydonium

Kelve, Merike; Kuusksalu, Anne Modern aspects in monitoring of environmental pollution in the sea 1999 / p. 147-155

Origin of the interferon-inducible (2'-5')oligoadenylate synthetase in vertebrates : cloning of the (2'-5') oligoadenylate synthetase from the marine sponge Geodia cydonium

Wiens, M.; Kuusksalu, Anne; **Kelve, Merike**; Müller, W.E.G. FEBS letters 1999 / p. 12-18
<https://www.sciencedirect.com/science/article/pii/S0014579399014787>

Sponge OAS has a distinct genomic structure within the 2-5A synthetase family

Reintamm, Tõnu; Kuusksalu, Anne; **Metsis, Madis**; **Päri, Mailis**; **Vallmann, Kerli**; **Lopp, Annika**; Justesen, Just; **Kelve, Merike** Molecular genetics and genomics 2008 / p. 453-466 : ill <https://pubmed.ncbi.nlm.nih.gov/18797928/>

2-5A synthetase from the marine sponge Geodia cydonium

Kuusksalu, Anne 2003 http://www.ester.ee/record=b1782619*est