

Behaviour of uremic toxins and UV absorbance in respect to low and high flux dialyzers

Lauri, Kai; Arund, Jürgen; Tanner, Risto; Jerotskaja, Jana; Luman, Merike; Fridolin, Ivo Estonian journal of engineering 2010 / 1, p. 95-106 : ill

Benefit from lipoprotein apheresis in severe case of coronary heart disease patient with high level of lipoprotein (a)

Zemtsovski, Mihail; Zemtsovskaja, Galina; Pikta, Marika; Luman, Merike; Viigimaa, Margus Cardiology 2015 / p. 35-36
<https://www.karger.com/Article/Abstract/431110>

Brain-to-brain loop concept in application to porphyrias : 10-year experience at North Estonia Medical Centre

Zemtsovskaja, Galina; Pikta, Marika; Borissova, Julia; Pille, Viive; Luman, Merike; Viigimaa, Margus Eesti Arst 2016 / p. 61
<http://ojs.utlib.ee/index.php/EA/article/viewFile/12917/8000> http://www.ester.ee/record=b4600434*est

Can removal of middle molecular uremic retention solutes be estimated by UV-absorbance measurements in spent dialysate?

Lauri, Kai; Luman, Merike; Holmar, Jana; Tomson, Ruth; Kalle, Sigrid; Arund, Jürgen; Uhlin, Nils Fredrik Arne; Fridolin, Ivo World Congress on Medical Physics and Biomedical Engineering, June 7–12, 2015, Toronto, Canada 2015 / p. 1297 - 1300
https://doi.org/10.1007/978-3-319-19387-8_315 [Conference proceedings at Scopus](#) [Article at Scopus](#) [Article at WOS](#)

Could urea in spent dialysate be a marker for monitoring removal of 4-pyridoxic acid?

Kalle, Sigrid; Tanner, Risto; Arund, Jürgen; Tomson, Ruth; Luman, Merike; Fridolin, Ivo XIII Baltic Nephrology Conference : October 13-15, 2016, Jurmala, Latvia : final programme 2016 / p. 6 <http://nefrologs.lv/wp-content/uploads/2016/10/XIII-BNC.pdf>

Development of an optical monitoring technology for urea rebound assessment

Tomson, Ruth; Fridolin, Ivo; Luman, Merike The 10th International Conference on Bioelectromagnetism : proceedings 2015 / [4] p. : ill

Development of an optical monitoring technology for urea rebound assessment

Tomson, Ruth; Fridolin, Ivo; Luman, Merike International journal of bioelectromagnetism 2015 / p. 52-56 : ill

Development of the model for the optical multiwavelength monitoring of creatinine in the spent dialysate

Tomson, Ruth; Fridolin, Ivo; Uhlin, Nils Fredrik Arne; Jerotskaja, Jana; Lauri, Kai; Luman, Merike BEC 2010 : 2010 12th Biennial Baltic Electronics Conference : proceedings of the 12th Biennial Baltic Electronics Conference : Tallinn University of Technology, October 4-6, 2010, Tallinn, Estonia 2010 / p. 261-264 : ill

Dialysis dose and nutrition assessment by an optical method = Dialüüsravi doosi ja patsientide toitumuse hindamine optilise meetodiga

Luman, Merike 2010 https://www.ester.ee/record=b2599301*est

The effect of Kt/V on post dialysis urea rebound in hemodialysis and hemodiafiltration

Tomson, Ruth; Fridolin, Ivo; Luman, Merike; Holmar, Jana Nephrology dialysis transplantation 2016 / p. i490
<https://doi.org/10.1093/ndt/gfw194.3>

Estimation of dialysis patients' survival through combined approach of small molecule uremic markers

Holmar, Jana; Fridolin, Ivo; Uhlin, Nils Fredrik Arne; Fernström, Anders; Luman, Merike Proceedings of the Estonian Academy of Sciences 2014 / p. 227-233 : ill https://artiklid.elnet.ee/record=b2680559*est

Estimation of the influence of K/V on post dialysis urea rebound in HD and HDF with traditional and optical methods

Tomson, Ruth; Fridolin, Ivo; Luman, Merike XIII Baltic Nephrology Conference : October 13-15, 2016, Jurmala, Latvia : final programme 2016 / p. 2 <http://nefrologs.lv/wp-content/uploads/2016/10/XIII-BNC.pdf>

4-pyridoxic acid in the spent dialysate : contribution to fluorescence and optical monitoring

Kalle, Sigrid; Tanner, Risto; Arund, Jürgen; Tomson, Ruth; Luman, Merike; Fridolin, Ivo PLoS ONE 2016 / art. e0162346, p. 1-11 : ill <https://doi.org/10.1371/journal.pone.0162346> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Free fraction of protein-bound uremic solutes in case of different dialysis modalities

Arund, Jürgen; Tanner, Risto; Luman, Merike; Fridolin, Ivo XIII Baltic Nephrology Conference : October 13-15, 2016, Jurmala, Latvia : final programme 2016 / p. 17 <http://nefrologs.lv/wp-content/uploads/2016/10/XIII-BNC.pdf>

Free pentosidine assessment based on fluorescence measurements in spent dialysate

Kalle, Sigrid; Tanner, Risto; Luman, Merike; Fridolin, Ivo Blood Purification 2019 / p. 85–93 <https://doi.org/10.1159/000493522> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Hemodialysis optical monitoring toward greener technology : a potential for water saving dialysis treatment

Leis, Liisi; Adoberg, Annika; Paats, Joosep; Holmar, Jana; Arund, Jürgen; Karai, Deniss; Luman, Merike; Pilt, Kristjan;

Taklaja, Paul; Tanner, Risto; Fridolin, Ivo 19th Nordic-Baltic Conference on Biomedical Engineering and Medical Physics : Proceedings of NBC 2023, June 12–14, 2023, Liepaja, Latvia 2023 / p. 162 - 171 https://doi.org/10.1007/978-3-031-37132-5_21
[Conference Proceedings at Scopus](#) [Article at Scopus](#)

Interrelationship between protein bound uremic toxin indoxyl sulfate concentration in blood and spent dialysate during hemodialysis treatment : [abstract]

Paats, Joosep; Adoberg, Annika; Arund, Jürgen; Fridolin, Ivo; Lauri, Kai; Leis, Liisi; Pilt, Kristjan; Tanner, Risto; Luman, Merike Nephrology dialysis transplantation 2021 / p. 382 : ill <https://doi.org/10.1093/ndt/gfab099.005>

Intradialytic on-line multicomponent reduction ratio monitoring in spent dialysate by a novel miniaturized optical sensor
Pilt, Kristjan; Arund, Jürgen; Adoberg, Annika; Leis, Liisi; Fridolin, Ivo; Luman, Merike Nephrology Dialysis Transplantation 2019 / p. 643-644 <https://doi.org/10.1093/ndt/gfz102.SuO012>

Intradialytic on-line multicomponent total removed solute monitoring in spent dialysate by a novel miniaturized optical sensor

Adoberg, Annika; Paats, Joosep; Arund, Jürgen; Leis, Liisi; Pilt, Kristjan; Fridolin, Ivo; Luman, Merike Nephrology Dialysis Transplantation 2021 <https://doi.org/10.1093/ndt/gfaa141.TO015>

Intradialytic optical assessment of C-mannosyl tryptophan removal using spent dialysate

Paats, Joosep; Adoberg, Annika; Leis, Liisi; Arund, Jürgen; Lauri, Kai; Luman, Merike; Tanner, Risto; Holmar, Jana; Pilt, Kristjan; Fridolin, Ivo Scientific reports 2025 / art. 20052, 12 p. : ill <https://doi.org/10.1038/s41598-025-01844-z>

Investigation of porphyrias : 10-year experience at the North Estonia Medical Centre

Zemtsovskaja, Galina; Pikta, Mariika; Borissova, Julia; Pille, Viive; Luman, Merike; Viigimaa, Margus Eesti Arst 2016 / p. 61
<http://ojs.utlib.ee/index.php/EA/article/viewFile/12917/8000> http://www.ester.ee/record=b4600434*est

Kroonilise neeruhaiguse ennetus ja käsitus

Luman, Merike Eesti Arst 2017 / lk. 195-198 http://www.ester.ee/record=b1072028*est

Non-invasive optical estimation of intradialytic concentrations of uremic toxins in blood of hemodialysis patients

Paats, Joosep; Adoberg, Annika; Arund, Jürgen; Fridolin, Ivo; Holmar, Jana; Lauri, Kai; Leis, Liisi; Pilt, Kristjan; Tanner, Risto; Luman, Merike Nephrology Dialysis Transplantation 2023 / art. #3367, p. i149-i150 : ill
https://doi.org/10.1093/ndt/gfad063b_3367

Novel spent dialysate based optical methods: towards more universal dose quantification of haemodialysis = Uudsed dialüsaadipõhised optilised meetodid universaalsema hemodialüüsravi doosi määramiseks

Paats, Joosep 2025 https://www.ester.ee/record=b5753842*est <https://digikogu.taltech.ee/et/Item/f2808205-001d-45c0-93b9-725b09a49f95>
<https://doi.org/10.23658/taltech.49/2025>

Optical assessment of calcification markers phosphorus and calcium during hemodialysis

Holmar, Jana; Uhlin, Nils Fredrik Arne; Fernström, Anders; Luman, Merike; Jankowski, Joachim; Fridolin, Ivo Nephrology Dialysis Transplantation 2015 / iii556 <https://doi.org/10.1093/ndt/gfv197.03>

Optical dialysis adequacy monitoring: small uremic toxins and contribution to UV-absorbance studied by HPLC

Lauri, Kai; Arund, Jürgen; Holmar, Jana; Tanner, Risto; Luman, Merike; Fridolin, Ivo Progress in hemodialysis - from emergent biotechnology to clinical practice 2011 / p. 143-160 : ill <https://www.intechopen.com/chapters/21275>

Optical method and biochemical source for the assessment of the middle-molecule uremic toxin β 2-microglobulin in spent dialysate

Paats, Joosep; Adoberg, Annika; Arund, Jürgen; Fridolin, Ivo; Lauri, Kai; Leis, Liisi; Luman, Merike; Tanner, Risto Toxins 2021 / art. 255, 15 p. : ill <https://doi.org/10.3390/toxins13040255> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Optical method for cardiovascular risk marker uric acid removal assessment during dialysis

Holmar, Jana; Fridolin, Ivo; Uhlin, Nils Fredrik Arne; Lauri, Kai; Luman, Merike The scientific world journal 2012 / p. 1-8 : ill
<https://pubmed.ncbi.nlm.nih.gov/22701094/>

An optical method for serum calcium and phosphorus level assessment during Hemodialysis

Holmar, Jana; Uhlin, Fredrik; Fernström, Anders; Luman, Merike; Jankowski, Joachim; Fridolin, Ivo Toxins 2015 / p. 719-727
<https://doi.org/10.3390/toxins7030719> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Optical on-line monitoring of a displacer-chromophore administration during a dialysis treatment

Arund, Jürgen; Adoberg, Annika; Leis, Liisi; Luman, Merike; Uhlin, Nils Fredrik Arne; Segelmark, Marten; Fernström, Anders; Fridolin, Ivo Kidney International Reports 2019 / p. S340-S341 <https://doi.org/10.1016/j.ekir.2019.05.879>

POS-648 medicines intake influences accuracy of the uremic retention molecules' optical monitoring in spent dialysate :

the case of uremic toxin uric acid and paracetamol

Paats, Joosep; Adoberg, Annika; Arund, Jürgen; Fridolin, Ivo; Holmar, Jana; Leis, Liisi; Pilt, Kristjan; Tanner, Risto; Uhlin, Nils Fredrik Arne; Luman, Merike *Kidney International Reports* 2022 / p. S277-S278 : ill <https://doi.org/10.1016/j.ekir.2022.01.681>

Removal estimation of uremic CVD marker phosphate in dialysis using spectrophoto- and fluorimetric signals

Holmar, Jana; Arund, Jürgen; Kalle, Sigrid; Lauri, Kai; Luman, Merike; Tanner, Risto; Tomson, Ruth; Fridolin, Ivo *EMBECE & NBC 2017 : joint conference of the European Medical and Biological Engineering Conference (EMBECE) and the Nordic-Baltic Conference on Biomedical Engineering and Medical Physics (NBC)*, Tampere, Finland, June 2017 2018 / p. 358-361 : ill https://doi.org/10.1007/978-981-10-5122-7_90 [Conference proceedings at Scopus](#) [Article at Scopus](#) [Article at WOS](#)

Removal of phosphate as the trigger of vascular calcification by different dialysis treatment modalities

Holmar, Jana; Jankowski, Joachim; Fridolin, Ivo; Alampour-Rajabi, Setareh; Luman, Merike *Nephrology dialysis transplantation* 2018 / p. i224 : ill <https://doi.org/10.1093/ndt/gfy104.FP548>

Removal of Urea, beta 2-Microglobulin, and Indoxyl Sulfate Assessed by Absorbance and Fluorescence in the Spent Dialysate During Hemodialysis

Lauri, Kai; Arund, Jürgen; Holmar, Jana; Tanner, Risto; Kalle, Sigrid; Luman, Merike; Fridolin, Ivo *Asaio journal* 2020 / p. 695-705 <https://doi.org/10.1097/MAT.0000000000001058> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Removal of vascular calcification inducer phosphate in different dialysis treatment modalities

Holmar, Jana; Fridolin, Ivo; Luman, Merike *World Congress on Medical Physics and Biomedical Engineering* 2018 : June 3-8, 2018, Prague, Czech Republic (Vol. 3) 2019 / p. 143-147 https://doi.org/10.1007/978-981-10-9023-3_26 [Conference proceeding at Scopus](#) [Article at Scopus](#) [Article at WOS](#)

Serum levels and removal by haemodialysis and haemodiafiltration of tryptophan-derived uremic toxins in ESKD patients

Paats, Joosep; Adoberg, Annika; Arund, Jürgen; Fridolin, Ivo; Leis, Liisi; Luman, Merike; Pilt, Kristjan; Uhlin, Nils Fredrik Arne *International journal of molecular sciences* 2020 / art. 1522, 19 p. : ill <https://doi.org/10.3390/ijms21041522> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

A systematic review of vascular calcification inhibitors in chronic kidney disease

Adoberg, Annika; Leis, Liisi; Luman, Merike; Uhlin, Fredrik; Fridolin, Ivo; Holmar, Jana *XVII Baltic Nephrology Conference*, Tartu, Estonia, October 3rd-5th, 2024 : Abstracts 2024 / 2 p <https://balticnephrology2024.eu/abstracts>

Time-averaged concentration estimation of uraemic toxins with different removal kinetics : a novel approach based on intradialytic spent dialysate measurements

Paats, Joosep; Adoberg, Annika; Arund, Jürgen; Dhondt, Annemieke; Fernström, Anders; Glorieux, Griet; Fridolin, Ivo; Holmar, Jana; Luman, Merike; Pilt, Kristjan *Clinical Kidney Journal* 2023 / p. 735-744 : ill <https://doi.org/10.1093/ckj/sfac273> <https://academic.oup.com/ckj/article/16/4/735/6948331> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Total removed beta 2-microglobulin and urea during different dialysis treatment modalities

Holmar, Jana; Luman, Merike; Lauri, Kai; Fridolin, Ivo *XIII Baltic Nephrology Conference : October 13-15, 2016, Jurmala, Latvia : final programme* 2016 / p. 21-22 : ill <http://nefrologs.lv/wp-content/uploads/2016/10/XIII-BNC.pdf>

Treatment with paracetamol can interfere with the intradialytic optical estimation in spent dialysate of uric acid but not of indoxyl sulfate

Adoberg, Annika; Paats, Joosep; Arund, Jürgen; Dhondt, Annemieke; Fridolin, Ivo; Glorieux, Griet; Holmar, Jana; Lauri, Kai; Leis, Liisi; Luman, Merike; Pilt, Kristjan; Uhlin, Nils Fredrik Arne; Tanner, Risto *Toxins* 2022 / art. 610 <https://doi.org/10.3390/toxins14090610> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Urea- and creatinine-based parameters in the optical monitoring of dialysis : the case of lean body mass and urea rebound assessment = Uureal ja kreatiniiniil põhinevad parameetrid neeruasendusravi optilises monitooringus : patsiendi lihasmassi ja uurea tagasilöögi efekti hindamine

Tomson, Ruth 2017 <https://digi.lib.ttu.ee/i/?7744> https://www.ester.ee/record=b4678405~S1*est