

An analysis of engineering students' knowledge on the topic of occupational health and safety

Paju, Jana; Kalle, Sigrid Agronomy research 2015 / p. 810-819 : ill http://agronomy.emu.ee/vol133/13_3_19_B5.pdf

An analysis of engineering students' knowledge on the topic of occupational health and safety [Electronic resource]

Paju, Jana; Kalle, Sigrid 6th International Conference Biosystems Engineering 2015 : 7-8 May 2015, Tartu, Estonia : book of abstracts 2015 / p. 113. [CD-ROM] http://bse.emu.ee/BSE2015_Book%20of%20ABSTRACTS_ISBN.pdf

Comparative study of the noise levels : impact of renovation

Kalle, Sigrid; Paju, Jana Agronomy research 2016 / p. 1300-1306 : ill http://www.ester.ee/record=b1787401*est
<http://agronomy.emu.ee/category/volume-14/number-4-volume-14/> Journal metrics at Scopus Article at Scopus

Could urea in spent dialysate be a marker for monitoring removal of 4-pyridoxic acid?

Kalle, Sigrid; Tanner, Risto; Arund, Jürgen; Tomson, Ruth; Luman, Merike; Fridolin, Ivo XIII Baltic Nephrology Conference : October 13-15, 2016, Jūrmala, Latvia : final programme 2016 / p. 6 <http://nefrologs.lv/wp-content/uploads/2016/10/XIII-BNC.pdf>

Exposure to high or low frequency noise at workplaces : differences between assessment, health complaints and implementation of adequate personal protective equipment

Reinhold, Karin; Kalle, Sigrid; Paju, Jana Agronomy research 2014 / p. 895-906 : ill

Fluorescence of Beta-2-microglobulin in the spent dialysate

Kalle, Sigrid; Kressa, H.; Tanner, Risto; Holmar, Jana; Fridolin, Ivo 16th Nordic-Baltic Conference on Biomedical Engineering : 16. NBC & 10. MTD 2014 Joint Conferences, October 14-16, 2014, Gothenburg, Sweden 2015 / p. 59-62 : ill

4-pyridoxic acid in the spent dialysate : contribution to fluorescence and optical monitoring

Kalle, Sigrid; Tanner, Risto; Arund, Jürgen; Tomson, Ruth; Luman, Merike; Fridolin, Ivo PLoS ONE 2016 / art. e0162346, p. 1-11 : ill <https://doi.org/10.1371/journal.pone.0162346> Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Free pentosidine assessment based on fluorescence measurements in spent dialysate

Kalle, Sigrid; Tanner, Risto; Luman, Merike; Fridolin, Ivo Blood Purification 2019 / p. 85-93 <https://doi.org/10.1159/000493522>
Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Heterogeneous platinum catalytic aerobic oxidation of cyclopentane-1,2-diols to cyclopentane-1,2-diones

Reile, Indrek; Kalle, Sigrid; Werner, Franz; Järving, Ivar; Kudrjašova, Marina; Paju, Anne; Lopp, Margus Tetrahedron 2014 / p. 3608-3613 : ill

Noise characterization and exposure on a research ship

Kalle, Sigrid; Tint, Piia XX World Congress on Safety and Health at Work 2014 : Global Forum for Prevention : 24-27 August 2014, Frankfurt, Germany 2014 / [1] p

Operating center workers' skin diseases caused by disinfectants and antiseptics - disbeliefs and preventive measures

Kalle, Sigrid; Pille, Viive OEESC 2013 : 6th International conference on Occupational and Environmental Exposure of Skin to Chemicals, June 2-4, Amsterdam, The Netherlands : programme and abstract book 2013 / [1] p

Operating center workers' skin diseases caused by disinfectants and antiseptics - misbeliefs and preventive measures =

Кожные заболевания у персонала процедурных центров, вызываемые антисептиками и дезинфекционными средствами: заблуждения и профилактика

Kalle, Sigrid; Pille, Viive Barents newsletter on occupational health and safety 2012 / p. 10-13 : ill

Optical measurement of 4-pyridoxic acid in the spent dialysate : algorithm development

Kalle, Sigrid; Tanner, Risto; Arund, Jürgen; Tomson, Ruth; Fridolin, Ivo BEC 2016 : 2016 15th Biennial Baltic Electronics Conference : proceedings of the 15th Biennial Baltic Electronics Conference : Tallinn University of Technology, October 3-5, 2016, Tallinn, Estonia 2016 / p. 115-118 : ill http://www.ester.ee/record=b2150914*est

Optical monitoring of uremic metabolites-fluorophores during dialysis : the cases of [beta]-2-microglobulin, pentosidine, and 4-pyridoxic acid = Ureemiliste metaboliitide-fluorofooride optiline jälgimine dialüüsi jooksul: [beta]-2-mikroglobuliini, pentosidiini ja 4-püridokshappe näited

Kalle, Sigrid 2018 <https://digi.lib.ttu.ee/ii/?11057> https://www.ester.ee/record=b5159591*est

Reduction of urea and indoxyl sulphate concentration during different dialysis treatment modalities

Holmar, Jana; Luman, Merike; Arund, Jürgen; Lauri, Kai; Tomson, Ruth; Tanner, Risto; Kalle, Sigrid; Fridolin, Ivo International journal of artificial organs 2016 / p. 379 <http://dx.doi.org/10.5301/ijao.5000508>

Removal estimation of uremic CVD marker phosphate in dialysis using spectrophoto- and fluorimetric signals

Holmar, Jana; Arund, Jürgen; Kalle, Sigrid; Lauri, Kai; Luman, Merike; Tanner, Risto; Tomson, Ruth; Fridolin, Ivo EMBEC &

NBC 2017 : joint conference of the European Medical and Biological Engineering Conference (EMBEC) and the Nordic-Baltic Conference on Biomedical Engineering and Medical Physics (NBC), Tampere, Finland, June 2017 2018 / p. 358-361 : ill
https://doi.org/10.1007/978-981-10-5122-7_90

Removal of Urea, beta 2-Microglobulin, and Indoxyl Sulfate Assessed by Absorbance and Fluorescence in the Spent Dialysate During Hemodialysis

Lauri, Kai; Arund, Jürgen; Holmar, Jana; Tanner, Risto; Kalle, Sigrid; Luman, Merike; Fridolin, Ivo Asaio journal 2020 / p. 695–705 <https://doi.org/10.1097/MAT.0000000000001058> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Vibration and noise caused by lawn maintenance machines in association with risk to health

Tint, Piia; Tarmas, Gültšara; Koppel, Tarmo; Reinhold, Karin; Kalle, Sigrid Agronomy research 2012 / p. 251-260 : ill
https://www.researchgate.net/publication/266389031_Vibration_and_noise_caused_by_lawn_maintenance_machines_in_association_with_risk_to_health