

Availability and variations of cardiac activity in the case of measuring the bioimpedance of wrist

Metshein, Margus; Annus, Paul; Land, Raul; Min, Mart; Aabloo, Alvo 2018 IEEE International Instrumentation and Measurement Technology Conference (I2MTC 2018) : proceedings 2018 / 5 p. : ill <https://doi.org/10.1109/I2MTC.2018.8409684>

Estimating sparse signals using integrated wideband dictionaries

Butsenko, Maksim; Swärd, Johan; Jakobsson, Andreas IEEE Transactions on Signal Processing 2018 / p. 4170-4181 : ill <https://doi.org/10.1109/TSP.2018.2835426> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Simulation of grid connected three-level neutral-point-clamped qZS inverter using PSCAD

Roncero-Clemente, Carlos; Romero-Cadaval, Enrique; **Husev, Oleksandr; Vinnikov, Dmitri;** Stepenko, Serhii Scientific Journal of Riga Technical University. Electrical, control and communication engineering 2013 / p. 14-19 : ill

К обратной задаче о собственных колебаниях упругих оболочек

Ainola, Leo Прикладная математика и механика 1971 / с. 358-364 https://www.ester.ee/record=b1582396*est