

An instrument for electrical bio-impedance based cardiac and respiratory monitoring

Eek, Andres; Härm, Härmo; Min, Mart; Parve, Toomas 10th Nordic-Baltic Conference on Biomedical Engineering. Satellite Symposium on Bioelectromagnetic and Biomechanic Measurements, June 13-15, 1996, Tallinn, Estonia 2011 / p. 29-30: ill

An instrument for measurement of vector parameters of electrical bio-impedance

Min, Mart; Parve, Toomas; Eek, Andres; Martin, Hannes Proceedings of the IX International Conference on Electrical Bio-Impedance in conjunction with the European Community Concerted Action on Impedance Tomography : September 26-30, 1995, Heidelberg/Germany 1995 / p. 40-43

Electrical bio-impedance measurement in a rate-adaptive pacemaker

Eek, Andres; Min, Mart; Parve, Toomas Matavimai = Measurements 1996 / 1/2, p. 21-24: ill

Electrical impedance for estimation of irritation in oral mucosa and skin

Ollmar, S.; **Eek, Andres**; Sundström, F.; Emtestam, L. Medical progress through technology 1995 / 1, p. 29-37

Electrical impedance measured to five depths in mild irritant dermatitis induced by sodium lauryl sulphate

Nicander, I.; Ollmar, S.; Lundh Rozell, B.; **Eek, Andres**; Emtestam, L. British journal of dermatology 1995 / p. 718-724

Measuring electrical bio-impedance - some practical aspects

Eek, Andres; Ollmar, S. BEC : Baltic Electronics Conference : proceedings of the 4th Biennial Conference, October 9-14, 1994, Tallinn (Estonia). 1 1994 / lk. 117-124: ill

Simple perception experiments on Estonian word prosody : foot structure vs. segmental quantity

Eek, Andres; Meister, Einar Estonian prosody : papers from a symposium : proceedings of the International Symposium on Estonian Prosody, Tallinn, Estonia, October 29-30, 1996 1997 / p. 71-99 : ill

The realization of the precision system for phase and harmonics measurement

Eek, Andres; Kolk, Arno Automation, simulation & measurement : ASM'91 : 3rd biennial conference, Tallinn, October 7-11, 1991. Section A. Section M / Tallinn Technical University 1992 / p. 95-99: ill