Accurate dialysis dose evaluation and extrapolation algorithms during online optical dialysis monitoring
Fridolin, Ivo; **Karai, Deniss**; **Kostin, Sergei**; **Ubar, Raimund-Johannes** IEEE transactions on biomedical engineering 2013 / p. 1371-1377 : ill

Activity classification for real-time wearable systems : effect of window length, sampling frequency and number of features on classifier performance
Allik, Ardo; **Pilt, Kristjan**; **Karai, Deniss**; **Fridolin, Ivo**; **Leier, Mairo**; **Jervan, Gert** 2016 IEEE EMBS Conference on Biomedical Engineering and Sciences (IECBES) : Kuala Lumpur, 4-8 December 2016 2016 / p. 460-464 : ill
https://doi.org/10.1109/IECBES.2016.7843493

Adaptive secure data transmission method for OSI level 1
Lallo, Pauli; **Meigas, Kalju** 2005 https://digi.lib.ttu.ee/i/?15 https://www.ester.ee/record=b1733221*est

Areng kasvatab ootusi : [arvamusi TTÜ raamatukogu kohta]
Kübarsepp, Jakob; **Kallavus, Urve**; **Kalev, Kaia** Mente et Manu 2014 / lk. 10 https://www.ester.ee/record=b1242496*est

Biomeditsiinitehnika tehnomeedikumis, ehk, "Kas haigus hüüab tulles?"
Fridolin, Ivo Tallinna Tehnikaülikooli aastaraamat 2013 2014 / lk. 248-252

Biosignal interpretation : study of cardiac arrhythmias and electromagnetic field effects on human nervous system
Lass, Jaanus 2002 http://www.ester.ee/record=b1715357*est

Brain functional connectivity in depression : gender differences in EEG
Orgo, Laura; **Bachmann, Maie**; **Kalev, Kaia**; **Hinrikus, Hiie**; Järvelaid, Mari 2016 IEEE EMBS Conference on Biomedical Engineering and Sciences (IECBES) : Kuala Lumpur, 4-8 December 2016 2016 / p. 270-273 : ill
https://doi.org/10.1109/IECBES.2016.7843456

Brain-to-brain loop concept in application to porphyrias : 10-year experience at North Estonia Medical Centre
Zemtsovskaja, Galina; Pikta, Marika; Borissova, Julia; **Pille, Viive**; **Luman, Merike**; **Viigimaa, Margus** Eesti Arst 2016 / p. 61
http://ojs.utlib.ee/index.php/EA/article/viewFile/12917/8000 http://www.ester.ee/record=b4600434*est

Coherent photodetection with a laser
Meigas, Kalju 1997 https://www.ester.ee/record=b1059446*est

Consenso sobre tratamiento farmacológico de la dislipidemia aterogénica con terapia combinada estatina-fenofibrato
Aguiar, Carlos; Alegria, Eduardo; Bonnadonna, Ricardo C.; **Viigimaa, Margus** Clinica e Investigacion en Arteriosclerosis 2016 / p. 87-93 : il http://dx.doi.org/10.1016/j.arteri.2015.12.001

Continuation of the ESH-CHL-SHOT trial after publication of the SPRINT : rationale for further study on blood pressure targets of antihypertensive treatment after stroke
Zanchetti, Alberto; Liu, Lisheng; Mancia, Giuseppe; **Viigimaa, Margus** Journal of hypertension 2016 / p. 393-396
http://dx.doi.org/10.1097/HJH.0000000000000853

Could urea in spent dialysate be a marker for monitoring removal of 4-pyridoxic acid?
Kalle, Sigrid; **Tanner, Risto**; **Arund, Jürgen**; **Tomson, Ruth**; **Luman, Merike**; **Fridolin, Ivo** XIII Baltic Nephrology Conference : October 13-15, 2016, Jurmala, Latvia : final programme 2016 / p. 6 http://nefrologs.lv/wp-content/uploads/2016/10/XIII-BNC.pdf

Detection of the effect of weak stressors on human resting electroencephalographic signal = Nõrkade stressorite mõju avastamine inimese puhkeoleku elektroentsefalograafilises signaalis
Suhhova, Anna 2012

Determinants and a predictive equation for the aortic length estimation
Zemtsovskaja, Galina; **Šamarin, Andrei**; **Abina, Jelena**; **Meigas, Kalju**; **Viigimaa, Margus** International journal of innovative research in science, engineering and technology 2016 / p. 3336-3350 : ill
https://www.ijirset.com/upload/2016/march/115_Determinants_hard_foriegn.pdf

Development of an optical monitoring technology for urea rebound assessment
Tomson, Ruth; **Fridolin, Ivo**; **Luman, Merike** The 10th International Conference on Bioelectromagnetism : proceedings 2015 / [4] p. : ill

Development of an optical monitoring technology for urea rebound assessment
Tomson, Ruth; **Fridolin, Ivo**; **Luman, Merike** International journal of bioelectromagnetism 2015 / p. 52-56 : ill

Development of the model for the optical multiwavelength monitoring of creatinine in the spent dialysate
Tomson, Ruth; **Fridolin, Ivo**; **Uhlin, Nils Fredrik Arne**; Jerotskaja, Jana; Lauri, Kai; **Luman, Merike** BEC 2010 : 2010 12th Biennial

Baltic Electronics Conference : proceedings of the 12th Biennial Baltic Electronics Conference : Tallinn University of Technology, October 4-6, 2010, Tallinn, Estonia 2010 / p. 261-264 : ill

Dialysis dose and nutrition assessment by an optical method = Dialüüsravi doosi ja patsientide toitumuse hindamine optilise meetodiga
Luman, Merike 2010 https://www.ester.ee/record=b2599301*est

Digitaalne signaali- ja pilditöötlus : loengukonspekt
Lipping, Tarmo 2007 http://www.ester.ee/record=b2234022*est

Digitaalne signaalitöötlus : valitud FIR-filtrite disainimine
Ferenets, Rain 2011 http://www.ester.ee/record=b2737258*est

EEG patterns and regularity properties during propofol induced anesthesia/sedation
Ferenets, Rain 2007 http://www.ester.ee/record=b2301505*est

Eestlase tervise tulevik: kas paks, poolpime ja -kurt, kõvera kaelaga ning depressioonis?
Viiron, Kristiina; **Viigimaa, Margus** Eesti Päevaleht 2015 / lk. 18-19

The effect of Kt/V on post dialysis urea rebound in hemodialysis and hemodiafiltration
Tomson, Ruth; **Fridolin, Ivo**; **Luman, Merike**; **Holmar, Jana** Nephrology dialysis transplantation 2016 / p. i490
https://doi.org/10.1093/ndt/gfw194.3

Effect of modulated microwave radiation on human resting electroencephalographic signal = Moduleeritud mikrolainekiirguse mõju inimese puhkeoleku elektroentsefalograafilisele signaalile
Bachmann, Maie 2008 http://www.ester.ee/record=b2373842*est

Electromagnetic fields and waves for biomedical engineers : course material
Fridolin, Ivo 2008 https://www.ester.ee/record=b2364625*est

Erectile dysfunction in hypertension and cardiovascular disease : a guide for clinicians
2015 https://www.ester.ee/record=b4447797*est

Estimation of dialysis patients' survival through combined approach of small molecule uremic markers
Holmar, Jana; **Fridolin, Ivo**; **Uhlin, Nils Fredrik Arne**; Fernström, Anders; **Luman, Merike** Proceedings of the Estonian Academy of Sciences 2014 / p. 227-233 : ill

Estimation of removed uremic toxin indoxyl sulphate during hemodialysis by using optical data of the spent dialysate
Holmar, Jana; **Uhlin, Nils Fredrik Arne**; **Ferenets, Rain**; **Lauri, Kai**; **Tanner, Risto**; **Arund, Jürgen**; Luman, Merike; **Fridolin, Ivo** The 2013 35th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC) proceedings 2013 / p. 6707-6710 : ill

Estimation of the complexity of the electroencephalogram for brain monitoring in intensive care = Electroentsefalogrammi kompleksuse hindamine aju monitooringul intensiivravis
Anier, Andres 2014 http://www.ester.ee/record=b3050804*est

Estimation of the influence of K/V on post dialysis urea rebound in HD and HDF with traditional and optical methods
Tomson, Ruth; **Fridolin, Ivo**; **Luman, Merike** XIII Baltic Nephrology Conference : October 13-15, 2016, Jurmala, Latvia : final programme 2016 / p. 2 http://nefrologs.lv/wp-content/uploads/2016/10/XIII-BNC.pdf

Evaluation of automatic speech recognition prototype for Estonian language in radiology domain : a pilot study
Paats, Andrus; **Alumäe, Tanel**; **Meister, Einar**; **Fridolin, Ivo** 16th Nordic-Baltic Conference on Biomedical Engineering : 16. NBC & 10. MTD 2014 Joint Conferences, October 14-16, 2014, Gothenburg, Sweden 2015 / p. 96-99

Evaluation of the ACR MRI phantom for quality assurance tests of 1.5 T MRI scanners in Estonian hospitals
Kaljuste, Doris; Nigul, Mait Proceedings of the Estonian Academy of Sciences 2014 / p. 240-246 : ill

Fluorescence of Beta-2-microglobulin in the spent dialysate
Kalle, Sigrid; **Kressa, H.**; **Tanner, Risto**; **Holmar, Jana**; **Fridolin, Ivo** 16th Nordic-Baltic Conference on Biomedical Engineering : 16. NBC & 10. MTD 2014 Joint Conferences, October 14-16, 2014, Gothenburg, Sweden 2015 / p. 59-62 : ill

Foreword : [special issue on biomedical engineering]
Fridolin, Ivo Proceedings of the Estonian Academy of Sciences 2014 / p. 199

Free fraction of protein-bound uremic solutes in case of different dialysis modalities

Arund, Jürgen; **Tanner, Risto**; **Luman, Merike**; **Fridolin, Ivo** XIII Baltic Nephrology Conference : October 13-15, 2016, Jurmala, Latvia : final programme 2016 / p. 17 http://nefrologs.lv/wp-content/uploads/2016/10/XIII-BNC.pdf

Health risks to computer-workers in various indoor facilities [Electronic resource]
Tint, Piia; **Toomeoja, K.**; **Tuulik, Viiu**; **Karai, Deniss**; **Meigas, Kalju** Riga Technical University 54th International Scientific Conference Scientific Conference on Economics and Entrepreneurship (SCEE'2013) : proceedings 2013 / [2] p [CD-ROM]

Hetked ja aastad
Hinrikus, Hiie 2014 https://www.ester.ee/record=b4431974*est

Investigation of porphyrias : 10-year experience at the North Estonia Medical Centre
Zemtsovskaja, Galina; Pikta, Marika; Borissova, Julia; **Pille, Viive**; **Luman, Merike**; **Viigimaa, Margus** Eesti Arst 2016 / p. 61 http://ojs.utlib.ee/index.php/EA/article/viewFile/12917/8000 http://www.ester.ee/record=b4600434*est

Is fluorescence valid to monitor removal of protein bound uremic solutes in dialysis?
Arund, Jürgen; Luman, Merike; **Uhlin, Nils Fredrik Arne**; **Tanner, Risto**; **Fridolin, Ivo** PLoS ONE 2016 / art. e0156541, p. 1-12 : ill https://doi.org/10.1371/journal.pone.0156541

Kardioloog Margus Viigimaa: Eesti arstiabi kõrge tase tuleb õdede ja arstide palkade arvelt
Oja, Triin; **Viigimaa, Margus** Pealinn 2016 / lk. 8-9

Kolesterool : üks kolmest peamisest südame-veresoonkonna haiguste riskitegurist
Eero, Kersti Õhtuleht 2015 / lk. 8-9

Kui head ja vajalikud on ikkagi statiinid?
Heinsalu, Kadi; **Viigimaa, Margus** Äripäev 2016 / Terviseuudised, lk. 4-5

Kui kõrge vererõhk on ohutu?
Viigimaa, Margus Kodutohter 2014 / lk. 30-34 ; 5, lk. 22-25 : ill

Kuidas oma südame eest hoolt kanda? Kolesterool: millal on põghjust muretseda?
Paavle, Silja; **Viigimaa, Margus** Õhtuleht 2016 / Tervis, lk. 2-3

Kuidas vähendada kodus elektromagnetvälja mõju?
Kenk, Kaire; **Koppel, Tarmo**; **Hinrikus, Hiie** Naised 2016 / lk. 28-29 : ill

Lean body mass assessment based on UV-absorbance in spent dialysate
Tomson, Ruth; **Fridolin, Ivo**; Luman, Merike BEC 2014 : 2014 14th Biennial Baltic Electronics Conference : proceedings of the 14th Biennial Baltic Electronics Conference : Tallinn University of Technology, October 6-8, 2014, Tallinn, Estonia 2014 / p. 185-188 : ill

Lifestyle modification in erectile dysfunction and hypertension
Viigimaa, Margus Erectile dysfunction in hypertension and cardiovascular disease : a guide for clinicians 2015 / p. 167-174

Lipoproteiiniga seostunud fosfolipaas A2 kui uus sõltumatu kardiovaskulaarne riskitegur ja ravi sihtmärk
Viigimaa, Margus Eesti Arst 2013 / lk. 92-97 : ill

Lugeja küsib, asjatundja vastab: kogu tõde vererõhust
Rudi, Hanneli; **Viigimaa, Margus** Postimees 2014 / lk. 20-21

Majandus on tervenemas, teadus veel mitte
Tanner, Risto Sirp 2014 / lk. 25

Major chromophores and fluorophores in the spent dialysate as cornerstones for optical monitoring of kidney replacement therapy = Peamised kromofoorid ja fluorofoorid heitdialüsaadis neeruasendusravi optilise monitooringu nurgakividena
Arund, Jürgen 2016 http://www.ester.ee/record=b4574893*est

Margus Viigimaa : Eesti arst teeb väikese rahaga väga head tööd
Kerge, Rainer; **Viigimaa, Margus** Õhtuleht 2016 / lk. 18-19

Margus Viigimaa: hirm surma ees on mõnegi inimese ellu tagasi aidanud
Oll, Sulev; **Viigimaa, Margus** Maaleht 2016 / lk. 38-39

Me ise infarktitõrjujad. Mis annab infarktist märku?
Ende, Üllar; **Viigimaa, Margus** Kodutohter 2015 / lk. 30-33 : fot

Mida on uut Ameerika äsja ilmunud südame-veresoonkonnahaiguste preventsiooni juhendites?
Viigimaa, Margus Eesti Arst 2014 / lk. 103

Mikrolaine- ja optiline tehnika : loengumaterjalid biomeditsiinitehnika ja meditsiinifüüsika magistriõppe üliõpilastele
2012 http://www.ester.ee/record=b2860846*est

Need karmid i-tähega haigused : [vastavad Margus Viigimaa ja Andrus Kreis]
Viigimaa, Margus; Kreis, Andrus Tervis Pluss 2013 / lk. 30-32

Noise characterization and exposure on a research ship
Kalle, Sigrid; **Tint, Piia** XX World Congress on Safety and Health at Work 2014 : Global Forum for Prevention : 24-27 August 2014, Frankfurt, Germany 2014 / [1] p

Närvisüsteemi funktsionaalsete häirete varajane diagnostika tööstustöölistel toksiliste ainetega professionaalse kontakti puhul = The functional disorders of central nervous systeme of chemistry workers : [dissertatsiooni teesid]
Tuulik, Viiu 1994 https://www.ester.ee/record=b1065761*est

Office and industrial workers complaint detection and prevention of professional upper limb overuse
Pille, Viive; **Tuulik-Leisi, Varje-Riin**; **Tint, Piia**; **Tuulik, Viiu**; **Hazak, Aaro** Scientific journal of Riga Technical University. Safety of technogenic environment 2014 / p. 23-27 : tab

Optical measurement of 4-pyridoxic acid in the spent dialysate : algorithm development
Kalle, Sigrid; **Tanner, Risto**; **Arund, Jürgen**; **Tomson, Ruth**; **Fridolin, Ivo** BEC 2016 : 2016 15th Biennial Baltic Electronics Conference : proceedings of the 15th Biennial Baltic Electronics Conference : Tallinn University of Technology, October 3-5, 2016, Tallinn, Estonia 2016 / p. 115-118 : ill http://www.ester.ee/record=b2150914*est

Optical measurement of creatinine in spent dialysate
Tomson, Ruth; **Fridolin, Ivo**; **Uhlin, Nils Fredrik Arne**; **Holmar, Jana**; **Lauri, Kai**; Luman, Merike Clinical nephrology 2013 / p. 107-117 : ill

Optical method for cardiovascular risk marker uric acid removal assessment during dialysis
Holmar, Jana; **Fridolin, Ivo**; **Uhlin, Nils Fredrik Arne**; **Lauri, Kai**; **Luman, Merike** The scientific world journal 2012 / p. 1-8 : ill

Optical method for uric acid removal assessment during dialysis = Optiline meetod kusihappe eemaldamise määramiseks dialüüsiravi käigus
Holmar, Jana 2013 https://www.ester.ee/record=b3004743*est

Optical pulse wave signal analysis for determination of early arterial ageing in diabetic patients = Optilise pulsilaine signaali analüüs arterite varase vananemise määramiseks diabeedihaigetel
Pilt, Kristjan 2014

Optical urea rebound estimation during dialysis
Tomson, Ruth; **Uhlin, Nils Fredrik Arne**; **Fridolin, Ivo** 16th Nordic-Baltic Conference on Biomedical Engineering : 16. NBC & 10. MTD 2014 Joint Conferences, October 14-16, 2014, Gothenburg, Sweden 2015 / p. 109-112 : ill

Paracetamol interferes uric acid levels in uraemic patients revealed by monitoring spent dialysate
Tanner, Risto; **Arund, Jürgen**; **Fridolin, Ivo**; Luman, Merike ISRN nephrology 2013 / p. 1-4 : ill

Photoplethysmographic signal rising front analysis for the discrimination of subjects with increased arterial ageing
Pilt, Kristjan; **Meigas, Kalju**; **Kööts, Kristina**; **Viigimaa, Margus** Proceedings of the Estonian Academy of Sciences 2014 / p. 221-226 : ill

Physical overload disease detection and prevention of industrial and office workers [Electronic resource]
Pille, Viive; **Tuulik-Leisi, Varje-Riin**; **Tint, Piia**; **Tuulik, Viiu**; **Hazak, Aaro** SCEE 2014 : Scientific Conference on Economics and Entrepreneurship : 55th International Riga Technical University conference : Latvia, Riga, 14-17 October 2014 / 2 p. [CD-ROM]

Prevention of computer worker health disturbances caused by physical and physiological risk
Pille, Viive; Oha, Kristel; **Lauri, Mariliis**; **Tint, Piia**; **Tuulik-Leisi, Varje-Riin**; **Tuulik, Viiu**; **Meigas, Kalju** Proceedings of the Latvian Academy of Sciences. Section B, Natural, exact, and applied sciences 2016 / p. 308-314 : ill https://doi.org/10.1515/prolas-2016-0047

Prevention of MSDs and psychological stress at computer-equipped workplaces
Reinhold, Karin; **Pille, Viive**; **Tuulik-Leisi, Varje-Riin**; **Tuulik, Viiu**; **Tint, Piia** Revista de la Universidad Industrial de Santander.

Salud 2014 / p. 221-226

Prevention of physiological and psychological stress at computer-equipped workplaces
Tint, Piia; **Meigas, Kalju**; **Tuulik, Viiu**; **Pille, Viive**; Oha, Kristel; **Reinhold, Karin**; **Karai, Deniss**; **Tuulik-Leisi, Varje-Riin**; **Lauri, Mariliis** Human factors : sustainable life and mobility : proceedings of the Human Factors and Ergonomics Society Europe Chapter 2013 Annual Conference 2014 / p. 229-240 : ill

Processing EEG during anaesthesia and cardiac surgery with nonlinear order statistics based methods
Lipping, Tarmo 2001 https://www.ester.ee/record=b1476353*est

Pulse wave registration from radial artery using photoplethysmographic method
Pilt, Kristjan; **Leier, Mairo**; **Silluta, Sandra**; **Kööts, Kristina**; **Meigas, Kalju**; **Viigimaa, Margus** Conference proceedings : 37th Annual International Conference of the IEEE Engineering in Medicine and Biology Society : Milan, Italy, August 25-29 2015 2015 / p. 6425-6428 : ill http://dx.doi.org/10.1109/EMBC.2015.7319863

Quantitative assessment of lean skeletal muscle hydration using water-fat MRI
Romu, Thobias; Tunon, Patrik; **Uhlin, Nils Fredrik Arne** Radiological Society of North America 2016 Scientific Assembly and Annual Meeting : November 27 - December 2, 2016, Chicago IL 2016 / [1] p http://archive.rsna.org/2016/16044450.html

Reduction of urea and indoxyl sulphate concentration during different dialysis treatment modalities
Holmar, Jana; Luman, Merike; **Arund, Jürgen**; Lauri, Kai; **Tomson, Ruth**; **Tanner, Risto**; **Kalle, Sigrid**; **Fridolin, Ivo** International journal of artificial organs 2016 / p. 379 http://dx.doi.org/10.5301/ijao.5000508

Revealing small hidden changes in human EEG by Higuchi's fractal dimension [Electronic resource]
Bachmann, Maie; **Suhhova, Anna**; **Lass, Jaanus**; **Hinrikus, Hiie** IFMBE proceedings ; Vol. 38 2013 / p. 47-50 : ill [CD-ROM]

Smart photoplethysmographic sensor for pulse wave registration at different vascular depths
Leier, Mairo; **Pilt, Kristjan**; **Karai, Deniss**; **Jervan, Gert** Conference proceedings : 37th Annual International Conference of the IEEE Engineering in Medicine and Biology Society : Milan, Italy, August 25-29 2015 2015 / p. 1849-1852 : ill
http://dx.doi.org/10.1109/EMBC.2015.7318741

Smart photoplethysmographic sensor for pulse wave registration at different vascular depths
Leier, Mairo; **Jervan, Gert**; **Pilt, Kristjan** Proceedings of the 8th Annual Conference of the Estonian National Doctoral School in Information and Communication Technologies : December 5-6, 2014, Rakvere 2014 / p. 67-70 : ill

SMi ravi - neuroloogia uuestisünd
Gross-Paju, Katrin Äripäev 2016 / Terviseuudised, lk. 13

Spectral asymmetry index and Higuchi's fractal dimension for detecting microwave radiation effect on electroencephalographic signal
Bachmann, Maie; **Lass, Jaanus**; **Suhhova, Anna**; **Hinrikus, Hiie** Proceedings of the Estonian Academy of Sciences 2014 / p. 234-239 : ill

Südamepuudulikkus algab hiilivalt
Heinsalu, Kadi; **Viigimaa, Margus** Äripäev 2016 / Terviseuudised, lk. 6-7

Teadus on tootlik jõud. Paneme ta tööle.
Tanner, Risto Eesti Päevaleht 2016 / lk. 11

Tervisedenduse tähendus nüüdisaja ühiskonnas
Viigimäe, Moonika; Lipand, Andrus; Javed, Pille; Mägi, Sandra; Vals, Kaire Eesti Arst 2016 / lk. 308-313

The analysis of finger photoplethysmographic waveform in healthy volunteers and diabetes patients [Electronic resource]
Pilt, Kristjan; **Meigas, Kalju**; **Temitski, Kristina**; **Viigimaa, Margus** IFMBE proceedings ; Vol. 38 2013 / p. 55-58 : ill [CD-ROM]

The computer workers' working conditions influencing the health in modern buildings
Tint, Piia; **Karai, Deniss**; Oha, Kristel; **Koppel, Tarmo**; **Tuulik-Leisi, Varje-Riin**; **Tuulik, Viiu**; **Meigas, Kalju** Intelligent Technologies in Logistics and Mechatronics Systems ITELMS'2013 : proceedings of the 8th international conference 2013 / p. 247-253 : ill

The prevention of physiological and psychological stress at computer-equipped workplaces
Tint, Piia; **Tuulik, Viiu**; **Tuulik-Leisi, Varje-Riin** Human factors : sustainable life and mobility : October 16-18, 2013, Torino, Italy : programme, abstracts book 2013 / p. [30]

The working conditions of office-workers in modern buildings
Tint, Piia; **Karai, Deniss**; Oha, Kristel; **Koppel, Tarmo**; **Tuulik-Leisi, Varje-Riin**; **Tuulik, Viiu**; **Meigas, Kalju** Human factors : sustainable life and mobility : October 16-18, 2013, Torino, Italy : programme, abstracts book 2013 / p. [64]

Tooth loss is independently associated with poor outcomes in stable coronary heart disease
Vedin, Ola; Hagström, Emil; Budaj, Andrzej; **Viigimaa, Margus** European journal of preventive cardiology 2016 / p. 839-846 : ill
http://dx.doi.org/10.1177/2047487315621978

Total removed beta 2-microglobulin and urea during different dialysis treatment modalities
Holmar, Jana; **Luman, Merike**; **Lauri, Kai**; **Fridolin, Ivo** XIII Baltic Nephrology Conference : October 13-15, 2016, Jurmala, Latvia : final programme 2016 / p. 21-22 : ill http://nefrologs.lv/wp-content/uploads/2016/10/XIII-BNC.pdf

Traditsioonilised ja uued ravimid aterogeense düslipideemia ravis
Viigimaa, Margus Eesti Arst 2016 / lk. 299-306 : ill

TTÜ Tehnomeedikum. Biomeditsiinitehnika instituut
Hinrikus, Hiie; **Meigas, Kalju** Leiutajaid ja leiutisi Tallinna Tehnikaülikoolis 1922-2007 2008 / lk. 92-96 : ill
https://www.ester.ee/record=b2412718*est

Waves, oscillations and optics in biomedical engineering : research in the Department of Biomedical Engineering 1994-2014
Hinrikus, Hiie Proceedings of the Estonian Academy of Sciences 2014 / p. 200-210 : phot