

A d₁₈O isoscape for the shallow groundwater in the Baltic Artesian basin

Raidla, Valle; Kern, Zoltan; Pärn, Joonas; Ivask, Jüri; Martma, Tõnu; Vaikmäe, Rein Journal of hydrology 2016 / p. 254-267 : ill
<https://doi.org/10.1016/j.jhydrol.2016.09.004>

Effects of large-scale changes in emissions on nutrient concentrations in Estonian rivers in the Lake Peipsi drainage basin

Iital, Arvo; Stalnacke, Per; Deelstra, Johannes; Loigu, Enn; Pihlak, Margus Journal of hydrology 2005 / 1/4, p. 261-273 : ill

Modeling wash-off and leaching of pollutants by spring-time flow

Vassiljev, Anatoli Journal of hydrology 1994 / 159, p. 215-222

Spatiotemporal assessment of humic substance-rich stream and shallow karst aquifer interactions in a boreal catchment of northern Estonia

Koit, Oliver; Barbera, Juan Antonio; Marandi, Andres; Terasmaa, Jaanus; Kiivit, Ili-Kärt; Martma, Tõnu Journal of hydrology 2020 / art. 124238, 18 p. : ill <https://doi.org/10.1016/j.jhydrol.2019.124238> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)