

GDNF - a stranger in the TGF-beta superfamily

Saarma, Mart European journal of biochemistry 2000 / p. 6968-6971 <https://pubmed.ncbi.nlm.nih.gov/11106404/>

Large-scale preparation of fully deuterated cell components. Ribosomes from Escherichia coli with high biological activity

Vanatalu, K.; Paalme, Toomas; Vilu, Raivo; Burkhardt, N.; Jünemann, R.; May, R.; Rühl, M.; Wadzack, J.; Nierhaus, K.H. European journal of biochemistry 1993 / p. 315-321

Regulation of -1 ribosomal frameshifting directed by cocksfoot mottle sobemovirus genome

Lucchesi, Jimmy; Mäkelainen, K.; Merits, Andres; Tamm, Tiina; Mäkinen, K. European journal of biochemistry 2000 / p. 3523-3529

The effects of physiologically important nonmetallic ligands in the reactivity of metallothionein towards 5,5'-dithiobis(2-nitrobenzoic acid) : a new method for the determination of ligand interactions with metallothionein

Kangur, Liina; Palumaa, Peep European journal of biochemistry 2001 / p. 4979-4984 : ill

(2'-5')-oligoadenylate synthetase in marine sponge : identification of its reaction products

Kuusksalu, Anne; Subbi, J.; Pehk, Tõnis; Reintamm, Tõnu; Müller, W.E.G.; Kelve, Merike European journal of biochemistry 1998 / p. 420-426