

Angiopoietin-like protein 4 converts lipoprotein lipase to inactive monomers and modulates lipase activity in adipose tissue

Sukonina, V.; **Lõokene, Aivar**; Olivecrona, T.; Olivecrona, G. Proceedings of the National Academy of Sciences of the United States of America 2006 / 46, p. 17450-17455 <https://pubmed.ncbi.nlm.nih.gov/17088546/>

Apolipoprotein A-V-heparin interactions : implications for plasma lipoprotein metabolism

Lõokene, Aivar; Beckstead, Jennifer; Nilsson, S.; Olivecrona, G.; Ryan, R.O. Journal of biological chemistry 2005 / 27, p. 25383-25387 <https://pubmed.ncbi.nlm.nih.gov/15878877/>

1,1'-bis(anilino)-4,4'-bis(naphtalene)-8,8'-disulfonate acts as an inhibitor of lipoprotein lipase and competes for binding with apolipoprotein CII

Lõokene, Aivar; Zhang, L.; Tõugu, Vello; Olivecrona, G. Journal of biological chemistry 2003 / p. 37183-37194 <https://doi.org/10.1074/jbc.m303894200>

Calcium triggers folding of lipoprotein lipase into active dimers

Zhang, L.; **Lõokene, Aivar**; Wu, G.; Olivecrona, G. Journal of biological chemistry 2005 / 52, p. 42580-42591 <https://pubmed.ncbi.nlm.nih.gov/16179346/>

Calreticulin promotes folding/dimerization of human lipoprotein lipase expressed in insect cells (sf21)

Zhang, L.; Wu, G.; Tate, C.G.; **Lõokene, Aivar**; Olivecrona, G. Journal of biological chemistry 2003 / 31, 29344-29351 <https://www.sciencedirect.com/science/article/pii/S002192582084438X>

Functional analyses of human apolipoprotein CII by site-directed mutagenesis : identification of residues important for activation of lipoprotein lipase

Shen, Y.; **Lõokene, Aivar**; Nilsson, S.; Olivecrona, G. Journal of biological chemistry 2002 / 6, p. 4334-4342 <https://pubmed.ncbi.nlm.nih.gov/11719505/>

Rapid subunit exchange in dimeric lipoprotein lipase and properties of the inactive monomer

Lõokene, Aivar; Zhang, L.; Hultin, M.; Olivecrona, G. Journal of biological chemistry 2004 / 48, p. 49964-49972 <https://www.sciencedirect.com/science/article/pii/S0021925820677857>