

Arterial hypertension, left ventricular geometry and QT dispersion in a middle-aged Estonian female population

Shipilova, Tatjana; Pšenitšnikov, Igor; Kaik, Jüri; Volozh, Olga; Abina, Jelena; Kalev, Maie; **Lass, Jaanus; Karai, Deniss** Blood pressure 2003 / 1, p. 12-18

Echocardiographic assessment of the different left ventricular geometric patterns in middle-aged men and women in Tallinn

Shipilova, Tatjana; Pšenitšnikov, Igor; Kaik, Jüri; Volozh, Olga; Abina, Jelena; Kalev, Maie; **Lass, Jaanus; Meigas, Kalju** Blood pressure 2004 / 5/6, p. 284-290 <https://pubmed.ncbi.nlm.nih.gov/14763659/>

Non-invasive hemodynamic monitoring as a guide to drug treatment of uncontrolled hypertensive patients: effects on home blood pressure in the BEAUTY study

Talvik, Anneli; Rebora, Paola; **Heinpalu-Kuum, Marika; Viigimaa, Margus** Blood pressure 2018 / p. 368-375

<https://doi.org/10.1080/08037051.2018.1505425> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Rapid socio-economic changes, psychosocial factors and prevalence of hypertension among men and women aged 55 years at baseline in Estonia: a 13-year follow-up study

Sammul, Sirje; **Viigimaa, Margus** Blood pressure 2018 / p. 351-357 <https://doi.org/10.1080/08037051.2018.1476054> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)