

Comparison of chromogenic STA-R Evolution and CS-2500 assays for Apixaban, Rivaroxaban and Dabigatran

Pikta, Marika; Örd, Lenna; Lind, Ellind; Reitsnik, Tarmo; Bany, Valdas Eesti laborimeditsiin : Eesti Laborimeditsiini Ühingu ja Eesti Bioanalüütikute Ühingu ajakiri 2024 / lk. 70-71 : ill https://www.ester.ee/record=b4560018*est

Comparison of chromogenic STA-R evolution and CS-2500 assays for Apixaban, Rivaroxaban and Dabigatran

Pikta, Marika; Örd, Lenna; Lind, Ellind; Reitsnik, Tarmo; Bany, Valdas "Hematology and hemostasis" Clinical Chemistry and Laboratory Medicine (CCLM) 2023 / p. s1274 <https://doi.org/10.1515/cclm-2023-7050>

Evaluation of DOAC dipstick test for detecting direct oral anticoagulants in urine compared with a clinically relevant plasma threshold concentration

Örd, Lenna; Marandi, Toomas; Märk, Marit; Raidjuk, Leonid; Kostjuk, Jelena; Bany, Valdas; Krause, Karit; **Pikta, Marika** Clinical and Applied Thrombosis/Hemostasis 2022 / 8 p. : ill <https://doi.org/10.1177/10760296221084307> [Journal metrics at Scopus](#) [Article at Scopus](#) [Journal metrics at WOS](#) [Article at WOS](#)

Otseste suukaudsete antikoagulantide (DOAC) adsorbeerimine plasmast *in vitro*

Pikta, Marika; Mettis, Laura Johanna; Örd, Lenna Eesti laborimeditsiin : Eesti Laborimeditsiini Ühingu ja Eesti Bioanalüütikute Ühingu ajakiri 2024 / lk. 37-38 : ill https://www.ester.ee/record=b4560018*est

Point-of-care DOAC dipstick test for screening of DOAC in urine

Pikta, Marika; Örd, Lenna; Märk, Marit; Raidjuk, Leonid; Kostjuk, Jelena; Krause, Karit; Bany, Valdas; Marandi, Toomas Clinical Chemistry and Laboratory Medicine (CCLM) 2021 / p. W036 <https://doi.org/10.1515/cclm-2021-5021>