

Assessing tissue hydration dynamics based on water/fat separated MRI

Karlsson, Markus; Indurain, Ainhoa; Romu, Thobias; Tunon, Patrik; Segelmark, Marten; Uhlin, Nils Fredrik Arne; Fernström, Anders; Dahlqvist Leinhard, Olof Journal of magnetic resonance imaging 2023 / p. 652-660 <https://doi.org/10.1002/jmri.28581>

Association between renal function and troponin T over time in stable chronic kidney disease patients

Chesnaye, Nicholas C.; Szummer, Karolina; Bárány, Peter; Heimbürger, Olof; Magin, Hasan; Almquist, Tora; Uhlin, Nils Fredrik Arne Journal of the American heart association 2019 / art. e013091, 18 p. : ill <https://doi.org/10.1161/JAHA.119.013091> Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Association of Longitudinal High-Sensitivity Troponin T with mortality in patients with chronic kidney disease

Chesnaye, Nicholas C.; Al-Sodany, Ehab; Szummer, Karolina; Barany, Peter; Heimbürger, Olof; Almquist, Tora; Melander, Stefan; Uhlin, Nils Fredrik Arne; Dekker, Friedo; Wanner, Christoph; Jager, Kitty J.; Evans, Marie Journal of the American College of Cardiology 2022 / p. 327-336 : ill <https://doi.org/10.1016/j.jacc.2021.11.023> Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Cannulation technique and complications in arteriovenous fistulas : a Swedish Renal Registry-based cohort study

Staaf, Karin; Fernström, Anders; Uhlin, Nils Fredrik Arne BMC Nephrology 2021 / art. 256 <https://doi.org/10.1186/s12882-021-02458-z> Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Cannulation with sharp or blunt needles for haemodialysis : the importance of cannulation technique for the patient's lifeline

Staaf, Karin; Uhlin, Nils Fredrik Arne Journal of Vascular Access 2019 / p. 161–168 : ill <https://doi.org/10.1177/1129729818788811> Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Clearance variations monitored by on-line UV-absorbance during haemodialysis

Uhlin, Nils Fredrik Arne; Fridolin, Ivo; Magnusson, Martin; Lindberg, L. NBC'05 UMEA : 13th Nordic Baltic Conference on Biomedical Engineering and Medical Physics : June 13th-17th, 2005, Umea, Sweden 2005 / p. 174-175 : ill

Combined displacer-enhanced removal of protein-bound uremic toxins estimated in spent dialysate

Adoberg, Amika; Leis, Liisi; Uhlin, Nils Fredrik Arne; Arund, Jürgen; Segelmark, Marten; Fernström, Anders; Luman, Merike; Fridolin, Ivo Kidney International Reports 2019 / art.: MON-105 ; p. S347 <https://doi.org/10.1016/j.kir.2019.05.895>

Computer-aided evaluation of blood vessel geometry from acoustic images

Lindström, Stefan B.; Uhlin, Nils Fredrik Arne; Bjarnegard, Niclas Journal of ultrasound in medicine 2018 / p. 1025-1031 : ill <https://doi.org/10.1002/jum.14439> Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Context Factors Facilitating and Hindering Patient Participation in Dialysis Care: A Focus Group Study With Patients and Staff

Årestedt, Liselott; Martinsson, Caroline; Hjelm, Carina; Uhlin, Nils Fredrik Arne; Eldh, Ann Catrine Worldviews on evidence-based nursing 2020 / p. 457-464 <https://doi.org/10.1111/wvn.12452>

Development of a method for optical monitoring of creatinine in the spent dialysate

Tomson, Ruth; Uhlin, Nils Fredrik Arne; Holmar, Jana; Lauri, Kai; Luman, Merike; Fridolin, Ivo Estonian journal of engineering 2011 / 2, p. 140-150 : ill

Development of the model for the optical monitoring of urea in spent dialysate

Tomson, Ruth; Fridolin, Ivo; Uhlin, Nils Fredrik Arne; Holmar, Jana; Lauri, Kai; Luman, Merike BEC 2012 : 2012 13th Biennial Baltic Electronics Conference : proceedings of the 13th Biennial Baltic Electronics Conference : October 3-5, 2012, Tallinn, Estonia 2012 / p. 179-182 : ill

Development of the model for the optical multiwavelength monitoring of creatinine in the spent dialysate

Tomson, Ruth; Fridolin, Ivo; Uhlin, Nils Fredrik Arne; Jerotskaja, Jana; Lauri, Kai; Luman, Merike BEC 2010 : 2010 12th Biennial Baltic Electronics Conference : proceedings of the 12th Biennial Baltic Electronics Conference : Tallinn University of Technology, October 4-6, 2010, Tallinn, Estonia 2010 / p. 261-264 : ill

Endopeptidase cleavage of anti-glomerular basement membrane antibodies in vivo in severe kidney disease : an open-label phase 2a study

Uhlin, Nils Fredrik Arne; Szpir, Wladimir; Kronbichler, Andreas; Bruchfeld, Annette; Soveri, Inga; Rostaing, Lionel; Daugas, Eric; Lionet, Arnaud; Kamar, Nassim; Rafat, Cedric Journal of the American Society of Nephrology 2022 / p. 829-838 <https://doi.org/10.1681/ASN.2021111460> Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Estimating total urea removal and protein catabolic rate by monitoring UV absorbance in spent dialysate

Uhlin, Nils Fredrik Arne; Fridolin, Ivo; Lindberg, Lars-Göran; Magnusson, Martin Nephrology dialysis transplataion 2005 / 11, p. 2458-2464 <https://pubmed.ncbi.nlm.nih.gov/16077147/>

Estimation of dialysis patients' survival through combined approach of small molecule uremic markers

Holmar, Jana; Fridolin, Ivo; Uhlin, Nils Fredrik Arne; Fernström, Anders; Luman, Merike Proceedings of the Estonian Academy of Sciences 2014 / p. 227-233 : ill https://artiklid.elnet.ee/record=b2680559*est

Estimation of removed uremic toxin indoxyl sulphate during hemodialysis by using optical data of the spent dialysate

Holmar, Jana; Uhlin, Nils Fredrik Arne; Ferenets, Rain; Lauri, Kai; Tanner, Risto; Arund, Jürgen; Luman, Merike; Fridolin, Ivo The 2013 35th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC) proceedings 2013 / p. 6707-6710 : ill

Icke-invasiv kontinuerlig öövervakning av bloddialys - UV-absorption

Uhlin, Nils Fredrik Arne; Fridolin, Ivo Njurmedicinskt regionmöte 2004 / [1] p

Is fluorescence valid to monitor removal of protein bound uremic solutes in dialysis?

Arund, Jürgen; Luman, Merike; Uhlin, Nils Fredrik Arne; Tanner, Risto; Fridolin, Ivo PLoS ONE 2016 / art. e0156541, p. 1-12 : ill <https://doi.org/10.1371/journal.pone.0156541>

Long-term follow-up of biomarkers of vascular calcification after switch from traditional hemodialysis to online hemodiafiltration

Uhlin, Nils Fredrik Arne; Fernström, Anders; Knapen, Marjo H.J.; Vermeer, Cees; Magnusson, Per Scandinavian journal of clinical & laboratory investigation 2019 / p. 174-181 <https://doi.org/10.1080/00365513.2019.1576218> [Journal metrics at Scopus Article at Scopus](#) [Journal metrics at WOS Article at WOS](#)

On-line monitoring of the spent dialysate during haemodialysis using UV-absorbance

Uhlin, Nils Fredrik Arne; Fridolin, Ivo Proceedings of the 34th International Conference of EDTNA/ERCA : Wien, Austria, 2005. 1 2005 / p. 46

Optical assessment of calcification markers phosphorus and calcium during hemodialysis

Holmar, Jana; Uhlin, Nils Fredrik Arne; Fernström, Anders; Luman, Merike; Jankowski, Joachim; Fridolin, Ivo Nephrology Dialysis Transplantation 2015 / iii556 <https://doi.org/10.1093/ndt/gfv197.03>

Optical Estimation of Beta 2 Microglobulin during Hemodiafiltration - Does It Work?

Uhlin, Nils Fredrik Arne; Holmar, Jana; Yngman-Uhlin, Pia; Fernström, Anders; Fridolin, Ivo Blood Purification 2015 / 113-119 <https://doi.org/10.1159/000381797>

Optical measurement of creatinine in spent dialysate

Tomson, Ruth; Fridolin, Ivo; Uhlin, Nils Fredrik Arne; Holmar, Jana; Lauri, Kai; Luman, Merike Clinical nephrology 2013 / p. 107-117 : ill

Optical method for cardiovascular risk marker uric acid removal assessment during dialysis

Holmar, Jana; Fridolin, Ivo; Uhlin, Nils Fredrik Arne; Lauri, Kai; Luman, Merike The scientific world journal 2012 / p. 1-8 : ill

Optical method for uric acid removal assessment during dialysis = Optiline meetod kusihappe eemaldamise määramiseks dialüüsiravi käigus

Holmar, Jana 2013 https://www.esther.ee/record=b3004743*est

Optical monitoring of dialysis dose

Uhlin, Nils Fredrik Arne; Fridolin, Ivo Modeling and control of dialysis systems. Vol. 2, Biofeedback systems and soft computing techniques of dialysis 2013 / p. 867-928 : ill

Optical on-line monitoring of a displacer-chromophore administration during a dialysis treatment

Arund, Jürgen; Adoberg, Annika; Leis, Liisi; Luman, Merike; Uhlin, Nils Fredrik Arne; Segelmark, Marten; Fernström, Anders; Fridolin, Ivo Kidney International Reports 2019 / p. S340-S341 <https://doi.org/10.1016/j.kir.2019.05.879>

Optical urea rebound estimation during dialysis

Tomson, Ruth; Uhlin, Nils Fredrik Arne; Fridolin, Ivo 16th Nordic-Baltic Conference on Biomedical Engineering : 16. NBC & 10. MTD 2014 Joint Conferences, October 14-16, 2014, Gothenburg, Sweden 2015 / p. 109-112 : ill

Patient participation in dialysis care - A qualitative study of patients' and health professionals' perspectives

Arestedt, Liselott; Martinsson, Caroline; Hjelm, Carina; Uhlin, Nils Fredrik Arne; Eldh, Ann Catrine Health expectations 2019 / p. 1285-1293 <https://doi.org/10.1111/hex.12966> [Journal metrics at Scopus Article at Scopus](#) [Journal metrics at WOS Article at WOS](#)

POS-648 medicines intake influences accuracy of the uremic retention molecules' optical monitoring in spent dialysate : the case of uremic toxin uric acid and paracetamol

Paats, Joosep; Adoberg, Annika; Arund, Jürgen; Fridolin, Ivo; Holmar, Jana; Leis, Liisi; Pilt, Kristjan; Tanner, Risto; Uhlin, Nils Fredrik Arne; Luman, Merike Kidney International Reports 2022 / p. S277-S278 : ill <https://doi.org/10.1016/j.kir.2022.01.681>

Preference-based patient participation for most, if not all : a cross-sectional study of patient participation amongst persons with end-stage kidney disease

Martinsson, Caroline; Uhlin, Nils Fredrik Arne; Wenemark, Marika; Eldh, Ann Catrine Health expectations 2021 / p. 1833-1841

<https://doi.org/10.1111/hex.13323> Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Protein catabolic rate estimated by on-line monitoring of the UV-absorbance in the spent dialysate

Uhlen, Nils Fredrik Arne; Fridolin, Ivo American Society of Nephrology 37th Annual Meeting and Scientific exposition : St.Louis, Missouri, USA, 2004 2004 / [1] p

Quantitative assessment of lean skeletal muscle hydration using water-fat MRI

Romu, Thobias; Tunon, Patrik; Uhlin, Nils Fredrik Arne Radiological Society of North America 2016 Scientific Assembly and Annual Meeting : November 27 - December 2, 2016, Chicago IL 2016 / [1] p <http://archive.rsna.org/2016/16044450.html>

Serum levels and removal by haemodialysis and haemodiafiltration of tryptophan-derived uremic toxins in ESKD patients

Paats, Joosep; Adoberg, Annika; Arund, Jürgen; Fridolin, Ivo; Leis, Liisi; Luman, Merike; Pilt, Kristjan; Uhlin, Nils Fredrik Arne International journal of molecular sciences 2020 / art. 1522, 19 p. : ill <https://doi.org/10.3390/ijms21041522> Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Sleep quality, fatigue, and health-related quality of life in patients on initial peritoneal dialysis and multiple modalities after two years : a prospective study

Yngman-Uhlen, Pia; Kjellsdotter, Anna; Uhlin, Nils Fredrik Arne; Edell-Gustafsson, Ulla Nephrology nursing journal 2019 / p. 615–649 <https://library.annanurse.org/anna/articles/2494/view>

The IgG-degrading enzyme of Streptococcus pyogenes causes rapid clearance of anti-glomerular basement membrane antibodies in patients with refractory anti-glomerular basement membrane disease

Soveri, Inga; Molne, Johan; Uhlin, Nils Fredrik Arne; Nilsson, Thomas; Kjellman, Christian; Sonessonm, Elisabeth; Segelmark, Marten Kidney International 2019 / p. 1234-1238 <https://doi.org/10.1016/j.kint.2019.06.019> Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Total removed uric acid during dialysis estimated by on-line ultra violet absorbance in the spent dialysate [Electronic resource]

Uhlen, Nils Fredrik Arne; Lindberg, Lars-Göran; Fridolin, Ivo IFMBE proceedings 2005 / [6] p. [CD-ROM]

Treatment with paracetamol can interfere with the intradialytic optical estimation in spent dialysate of uric acid but not of indoxyl sulfate

Adoberg, Annika; Paats, Joosep; Arund, Jürgen; Dhondt, Annemieke; Fridolin, Ivo; Glorieux, Griet; Holmar, Jana; Lauri, Kai; Leis, Liisi; Luman, Merike; Pilt, Kristjan; Uhlin, Nils Fredrik Arne; Tanner, Risto Toxins 2022 / art. 610

<https://doi.org/10.3390/toxins14090610> Journal metrics at Scopus Article at Scopus Journal metrics at WOS Article at WOS

Urea- and creatinine-based parameters in the optical monitoring of dialysis : the case of lean body mass and urea rebound assessment = Uureal ja kreatiiniil pöhinevad parameetrid neeruasendusravi optilises monitooringus : patsiendi lihasmassi ja uurea tagasilöögi efekti hindamine

Tomson, Ruth 2017 <https://digi.lib.ttu.ee/i/?7744>