

Humic substances as a background electrolyte in capillary electrophoresis

Übner, Monika; **Kaljurand, Mihkel; Lopp, Margus** Chemistry and ecology 2010 / Suppl., p. 157-165 : ill

Impact of soluble humic substance on Cd²⁺ sorption on apatite in aqueous solutions

Viipsi, Karin; Tõnsuaadu, Kaia; Peld, Merike Chemistry and ecology 2010 / Suppl., p. 77-85 : ill

Partitioning of metals between operational fractions in the sediment record from Lake Peipsi

Lepane, Viia; Morriset, Malvina; **Viitak, Anu; Laane, Maile; Alliksaar, Tiiu** Chemistry and ecology 2010 / Suppl., p. 35-48 : ill

<https://doi.org/10.1080/02757540.2010.501031>

A 10000 year record of sediment porewater dissolved organic matter characteristics from Lake Peipsi as revealed by HPSEC

Makarõtsëva, Natalja; Lepane, Viia; Alliksaar, Tiiu; Heinsalu, Atko Chemistry and ecology 2010 / Suppl., p. 13-24 :ill

<https://www.tandfonline.com/doi/abs/10.1080/02757540.2010.501030>

The detection of nerve agent degradation products in different soil fractions using capillary electrophoresis with contactless conductivity detection

Seiman, Andrus; Makarõtsëva, Natalja; Vaher, Merike; Kaljurand, Mihkel Chemistry and ecology 2010 / Suppl., p. 145-155 : ill

<https://www.tandfonline.com/doi/abs/10.1080/02757540.2010.497761>