

Aberrant glycosylation of the anti-Thomsen-Friedenreich glycotope immunoglobulin G in gastric cancer patients

Kodar, Kristel; Izotova, Jelena; Klaamas, Kersti; Sergejev, Boriss; Järvekülg, Lilian; Kurtenkov, Oleg World journal of gastroenterology 2013 / p. 3573-3582 : ill

Electrochemical impedance spectroscopy analysis of immunoglobulin G in patients with gastric cancer

Sergejev, Kirill; Land, Raul; Klaamas, Kersti; Kurtenkov, Oleg BEC 2014 : 2014 14th Biennial Baltic Electronics Conference : proceedings of the 14th Biennial Baltic Electronics Conference : Tallinn University of Technology, October 6-8, 2014, Tallinn, Estonia 2014 / p. 189-192 : ill

Immunoglobulin G glycosylation profiling in patients with gastric cancer = Immuunglobuliin G glükosüleerituse profileerimine maovähihaigetel

Kodar, Kristel 2012

Molecularly imprinted polymer film interfaced with Surface Acoustic Wave technology as a sensing platform for label-free protein detection

Tretjakov, Aleksei; Sõritski, Vitali; Reut, Jekaterina; Boroznjak, Roman; Öpik, Andres Analytica chimica acta 2016 / p. 182-188 : ill <http://dx.doi.org/10.1016/j.aca.2015.11.004>

A new approach in preparation of molecularly imprinted polymer thin films for immunoglobulin G specific recognition

Boroznjak, Roman; Reut, Jekaterina; Sõritski, Vitali; Öpik, Andres Baltic Polymer Symposium 2012 : Liepaja, Latvia, September 19-22 : programme and proceedings 2012 / p. 77